## PUBLICATIONS CSIRO Wood Protection

Cummins, J.E. and Wilson, H.B. (1934). The pore size (vessel diameter) of some Australian timbers and their susceptibility to attack by the powder post borer (*Lyctus brunneus* Stephens). CSIR Journal 7: 225-233.

Anonymous (1935). Wood borers in Australia. Part 1. – Lyctus, or the powder post borer. CSIR DFP Trade Circular No. 6. 2<sup>nd</sup> edn. (not seen)

Anonymous (1935). Wood borers in Australia. Part 2. – Anobium, or the furniture borer. CSIR DFP Trade Circular No. 11. (not seen)

Anonymous (1935). The prevention of decay in building foundations. CSIR DFP Trade Circular No. 18. (not seen)

Anonymous (1935). Wood borers in Australia. Part 3. – Pin-hole borers. CSIR DFP Trade Circular No. 25. (not seen)

Anonymous (1935, reprinted 1944). The preservation of timber. CSIR DFP Trade Circular No. 27, 22 pp.

Anonymous (1935). Deterioration of timber caused by fungi. Part 1. – Decay. CSIR DFP Trade Circular No. 33. (not seen)

Anonymous (1935). Termites (white ants). CSIR DFP Trade Circular No. 36. (not seen)

Anonymous (1935). Termite (white ant) proof construction for brick buildings in Adelaide, South Australia. CSIR DFP Trade Circular No. 44. (not seen)

Cummins, J.E. (1935). Tests of the efficacy of the oxy-acetylene scouring and charring process for sterilising partly decayed poles. CSIR DFP Technical Paper No. 18 = CSIRO Pamphlet No. 57, 43 pp.

Cummins, J.E. and Wilson, H.B. (1935). The starch content of some Australian hardwoods in relation to their susceptibility to attack by the powder post borer (*Lyctus brunneus* Stephens). CSIR Journal 8: 101-110.

Anonymous (1936, reprinted 1946). Deterioration of timber caused by fungi. Part 2: Staining fungi. CSIR DFP Trade Circular No. 38, 10 pp.

Cummins, J.E. and Wilson, H.B. (1936). The preservation of timber against the attacks of the powder post borer (*Lyctus brunneus* Stephens) by impregnation with various chemicals. CSIR Journal 9: 37-56.

Anonymous (1939). Termite (white ant) proof construction. CSIR DFP Trade Circular No. 44, 14 pp.

Cummins, J.E. (1939). The preservation of timber against the attacks of the powder post borer (*Lyctus brunneus* Stephens) by impregnation with boric acid. CSIR Journal 12: 30-49.

Cummins, J.E. and Turnbull, R.F. (1939). The preservative treatment of fire-killed mountain ash (*E. regnans*) and alpine ash (*E. gigantea*). J. CSIR 12: 9 pp.

Anonymous (1942, reprinted 1944). Termites (white ants). CSIR DFP Trade Circular No. 36, 19 pp.

Bland, D.E. (1942). A study of the toxicity of Australian vertical retort creosote oils to *Lentinus lepideus* Fr., *Polystictus versicolor* (L.) Fr., and Madison 517. J. CSIR 15: 135-146.

Gregory, J.N. (1942). Investigations on the treatment of solid timber with boric acid to render it immune from the attack of the powder post borer (*Lyctus brunneus* Stephens). I. Laboratory and preliminary investigations. Austral. J. CSIR 15: 233-247.

Anonymous (1944). The preservation of timber. CSIR DFP Trade Circular No. 27, 22 pp. (second impression, first published 1935).

Bland, D.E. (1944). The permanence of Australian vertical retort creosote oils. J. CSIR 17: 274-288.

Tamblyn, N. (1945). Service tests of fluarized karri rail sleepers in Western Australia. J. CSIR 18: 254-262.

Tamblyn, N. (1946). The preservative treatment of fence posts. For. Prod. Newsletter No. 139.

Tamblyn, N. (1946). What you should know about termites (white ants) – Part 1 For. Prod. Newsletter No. 142, Part 2 For. Prod. Newsletter No. 143.

Tamblyn, N. (1946). Experimental treatment of timber with preservatives at high pressures. For. Prod. Newsletter No. 147.

Shillinglaw, A.W. and Moore, D.D. (1947). Report of marine borer survey in New Guinea waters. CSIR Bulletin No. 223, 51 pp.

Tack, G.W. (1947). Is this borer dangerous? Part 1 – The auger beetle (Xylion collaris). For. Prod. Newsletter No. 151.

Tack, G.W. (1947). Is this borer dangerous? Part 2 – The pinhole borer. For. Prod. Newsletter No. 153.

Tack, G.W. (1947). Is this borer dangerous? Part III – The Lyctus borer. For. Prod. Newsletter No. 154.

Tack, G.W. (1947). Is this borer dangerous? Part IV – Anobium or the furniture borer. For. Prod. Newsletter No. 155.

Amos, G.L. and Dadswell, H.E. (1948). Siliceous inclusions in wood in relation to marine borer resistance. J. CSIR 21: 190-198.

Bland, D.E. (1948). Some facts about coal tar, creosote, tar 'acids; and tar bases in relation to wood preservation. For. Prod. Newsletter No. 167.

Bond, R.W. (1948). Wood Preservatives. Part 1 – General. For. Prod. Newsletter No. 162. Part 2 – creosote No. 163. Part III-Inorganic Zinc, copper, and mercury compounds No. 164, Part 4 – Fluorine and boron compounds No. 165. Part 5 – the naphthenates No. 166. Part 6 – chlorinated phenols No. 167. Part 7 – Other organic chemicals No. 168.

Da Costa, E.W.B. (1949). The decay resistance of Australian timbers. CSIRO For Prod. Newsletter No. 175.

Tamblyn, N. (1949). A momentary dip treatment for green veneer. CSIR For. Prod. Newsletter No. 171, 1-2.

Anonymous (1950). Lyctus susceptibility list, Appendix II. Proc. 5<sup>th</sup> For Prod Res. Conf, Topic 8B, 24 pp.

Tack, G.W. (1950). The problem of wood preservation in Australia and New Guinea. Proc. of the Society of Chemical Industry of Victoria, Vol L: 1001-1008.

Tamblyn, N. (1950). Control of borer attack in plywood by use of preservatives in the glue. CSIR For. Prod. NewsLetter No. 180.

Tamblyn, N. and Gordon, A. (1950). Control of borer attack in plywood by use of preservatives in the glue. CSIRO For. Prod. Newsletter No. 180.

Christensen, G.N. (1951). Diffusion in wood. II. The temperature coefficient of diffusion through wood. Aust. J. Appl. Sci. 2: 430-439.

Christensen, G.N. (1951). Diffusion in wood. III. Ion selection and its effect on the diffusion of electrolytes. Aust. J. Appl. Sci. 2: 440-453.

Christensen, G.N. and Williams, E.J. (1951). Diffusion in wood. I. A quantitative theory of diffusion in porous media and its application to wood. Aust. J. Appl. Sci. 2: 411-429.

Amos, G.L. (1952). Silica in timbers. CSIRO Bulletin No. 267.

Moglia, P.J. (1954). Portable treating plant for fence posts. CSIRO Forest Products Newsletter No. 200: 2-3.

Wymond, A.P. (1954). A survey of fencing practice in Australia. Australian Forestry 18: 33-40.

Anonymous (1955). Round fence posts: preservative oil treatment. CSIRO Leaflet Series No. 12, 25 pp.

Da Costa, E.W.B. (1955). Preventing decay in flooring. For. Prod. Newsletter No. 207.

Da Costa, E.W.B. (1955). Effect of blue stain on the strength of *Pinus radiata*. For. Prod. Newsletter No. 209.

Ellwood, E.L. (1955). Preventing deterioration in exterior joinery. CSIRO For. Prod. Newsletter No. 212.

Ellwood, E.L. (1955). Effects of high pressure impregnation on softwoods. CSIRO For. Prod. Newsletter No 205.

Beesley, J. (1956). Common borers in building timbers. Part I. Recognition of the commoner typres of borer. CSIRO For. Prod. Newsletter No. 223.

Beesley, J. (1956). Common borers in building timbers. Part II. The Lyctus (or powder post) borer. CSIRO For. Prod. Newsletter No. 225: 3-6.

Da Costa, E.W.B., Watson, A.J. and Hindson, W.R. (1956). Preservatives for rot-proofing paper. Aust. J. Appl. Sci. 7: 113-118.

Ellwood, E.L. (1956). Preservative treatment for Australian rail sleepers. Commonwealth Engineer 44: 6-10.

Moglia, P.J. (1956). Portable plant for fence post preservation. Low pressure soaking. Timber Technology and Machine Woodworking, 2pp.

Moglia, P.J. and Dale, F.A. (1956). Simplified low-pressure treatment. CSIRO Forest Products Newsletter No. 222: 2-3.

Tamblyn, N. (1956). Durability of eucalpt timbers and their preservative treatment. World Eucalypt Conference, Rome.

Tamblyn, N. (1956). Preservative method for treatment of green timber. Australian patent No. 17940.

Tamblyn, N. (1957). The importance of preservative treatments in hardwood utilization. Seventh British Commonwealth Forestry Conference, 15 pp.

Boyd, J.D. (1958). How strong are wooden fence posts? CSIRO For. Prod. Newsletter No. 244: 1-2.

Clarke, S.A. (Chief of Divn) (1958). Preventing decay in beehives. The Australian Bee J., p 7.

Da Costa, E.W.B. and Rudman, P. (1958). The causes of natural durability in timber. I. The role of toxic extractives in the resistance of tallowwood (*Eucalyptus microcorys*. F. Muell.) to decay. Aust. J. Biol. Sci. 11: 45-57.

Da Costa, E.W.B., Rudman, P. and Gay, F.J. (1958). Investigations on the durability of *Tectona grandis*. Empire Forestry Review 37: 291-298.

Dale, F.A. and Bower, E.A. (1958). Water-borne preservatives for fence posts. Part II. The sap-replacement method. CSIRO For. Prod. Newsletter, No. 243.

Rudman, P. and Da Costa, E.W.B. (1958). The causes of natural durability in timber. II. The role of toxic extractives in the resistance of silvertop ash (*Eucalyptus sieberiana* F. Muell.) to decay. CSIRO DFP Technological Paper No. 1, 8 pp.

Rudman, P., Da Costa, E.W.B., Gay, F.J. and Wetherly, A.H. (1958). Relationship of tectoquinone to durability in *Tectona grandis*. Nature 181: 721-722.

Tamblyn, N. and Da Costa, E.W.B. (1958). A simple technique for producing fruit bodies of wood-destroying basidiomycetes. Nature 181: 578-579.

Barnacle, J.E. (1959). A pole test against *Mastotermes darwiniensis*. CSIRO For. Prod. Newsletter No. 254.

Da Costa, E.W.B. (1959). Abnormal resistance of *Poria vaillantii* (D.C. ex Fr.) Cke. strains to copper-chrome-arsenate wood preservatives. Nature 183: 910-911.

Da Costa, E.W.B. (1959). Control of blue stain (Part 1), For Prod Newsletter No. 258, (Part 2), No. 259.

Dale, F.A. (1959). The preservation of round vine posts. Australian wine week, Melbourne, The papers of Technical Conference, 14-15<sup>th</sup> October 1959, pp 43-47.

Rudman, P. (1959). Factors affecting the durability of teak. CSIRO Forest Prod. Newsletter No. 253: 1-2.

Rudman, P. (1959). The causes of natural durability in timber. III. Some conspicuous phenolic components in the heartwood of eucalypts and their relationship to decay resistance. Holzforschung 13: 112-115.

Rudman, P. and Da Costa, E.W.B. (1959). Variation in extractive content and decay resistance in the heartwood of *Tectona grandis* L.f. J. Inst. Wood Sci. No. 3: 33-42.

Tamblyn, N., Da Costa, E.W.B. and Gay, F.J. (1959). Preservative treatments for plywood by momentary dipping of green veneer. CSIRO Division of For. Prod. Technological paper No. 6.

Barnacle, J.E. (1960). A marine borer test in Australian waters. CSIRO For. Prod. Newsletter No. 262.

Cronshaw, J. (1960). The fine structure of the pits of *Eucalyptus regnans* (F. Muell.) and their relation to the movement of liquids into the wood. Aust. J. Botany 8: 51-57.

Dale, F.A. (1960). First commercial high-pressure plant starts production. For Prod Newsletter No 265.

Rudman, P. (1960). Anthraquinones of teak (*Tectona grandis* L.F.). Chemistry & Industry No. 44: 1356-1357.

Rudman, P. (1960). Methods of testing durability. Part I. Field tests, For Prod Newsletter No 268. Part II. Laboratory tests, No. 269.

Tamblyn, N. (1960). Penetration of chemicals into wood. Fifth World Forestry Congress, Proceedings. pp 1510-1515.

Walters, N.E.M. (1960). Decay in timber. For Prod Newsletter No 260.

Anonymous (1961). Round fence posts: their preservative treatment. CSIRO Leaflet No. 12, 24 pp.

Beesley, J. (1961). What is the termite hazard? For. Prod. Newsletter No. 272.

Boyd, J.D. (1961). Efficient engineering with round timbers. The J. of the Institution of Engineers, Australia, 33 (1-2): 27-36. (discusses preservation).

Da Costa, E.W.B., Rudman, P. and Gay, F.J. (1961). Relationship of growth rate and related factors to durability in *Tectona grandis*. Empire Forestry Review 40: 308-319.

Dale, F.A. (1961). The timber preservation industry in Australia. Part 1. Treatment facilities, For. Prod. Newsletter No. 278, Part II. The uses of treated timber, No. 279.

Rudman, P. and Da Costa, E.W.B. (1961). The causes of natural durability in timber IV. Variation in the role of toxic extractives in the resistance of durable eucalypts to decay. Holzforschung 15: 10-15.

Rudman, P. and Gay, F.J. (1961). The causes of natural durability in timber V. The role of extractives in the resistance of tallowwood (*Eucalyptus microcorys* F. Muell.) to attack by the subterranean termite *Nasutitermes exitiosus* (Hill). Holzforschung 15: 50-53.

Rudman, P. and Gay, F.J. (1961). The causes of natural durability in timber. VI. Measurement of anti-termitic properties of anthraquinones from *Tectona grandis* L.f. by a rapid semi-micromethod. Holzforschung 15: 117-120.

Tamblyn, N. (1961). What can you do with timber preservation?. The Australian Timber J. 27 (1): 64,67,69,72,73.

Walters, N.E.M. (1961). Soft rot in timbers. Part 1. What is soft rot, For Prod Newsletter No. 273, Part II. Methods of control No. 274.

Walters, N.E.M. (1961). Soft rot in timbers. Part 1. What is soft rot, Journal of the Timber Dryers and P.A. 7 (3): 14-16. Part II. Methods of control J. T.D. P.A. 7(3): 16-17.

Wardrop, A.B. and Davies, G.W. (1961). Morphological factors relating to the penetration of liquids into wood. Holzforschung 15: 129-141.

Da Costa, E.W.B. and Kerruish, R.M. (1962). Production of monocaryons in basidiomycete cultures by the action of toxic chemicals. Nature 195: 726-727.

Da Costa, E.W.B, Rudman, P., and Deverall, F.J. (1962). Inter-tree variation in decay resistance of karri (*Eucalyptus diversicolor* F. Muell.) as related to colour, density and extractive content. J. Inst. Wood Sci. No. 10: 48-55.

Dale, F.A. (1962). Thoughts on domestic fencing. For. Prod Newsletter No. 282.

Edwards, N.C. (1962). Testing treated timber with electrical moisture meters. CSIRO. For. Prod. Newsletter No. 286.

Gottstein, J.W. and Tamblyn, N. (1962). The use of sodium fluoride, boron compounds and organic insecticides for Lyctus immunization of veneers and plywood. (notes, no indication where published).

Howick, C.D. (1962). Sirex – A threat to the timber industry? For. Prod. Newsletter No. 292.

Johanson, R. (1962). Brown coal tar creosote as a wood preservative. CSIRO For. Prod. Newsletter No. 289: 1-2.

Keating, W.G. (1962). The behaviour of pressure-creosoteed poles in bushfires. CSIRO For. Prod. Newsletter No. 286.

Pearson, R.G. (1962). The fire resistance of timber. CSIRO For. Prod. Newsletter Nos 280-284.

Reynolds, L.A. (Vic Rail) and Dale, F.A. (1962). Preservation of railway sleepers in Australia. A paper presented to the railway sub-committee of the Economic Commission for Asia and the Far East on May 29<sup>th</sup>, 1962, 25 pp.

Rosel, A. (1962). Laboratory breeding of Lyctus brunneus (Steph). Pest Technology, Pest Control and Pesticides 4: 78-82.

Rudman, P. (1962). The causes of natural durability in timber VIII. The causes of decay resistance in tallowwood (*Eucalyptus microcorys* F. Muell.), white mahogany

(*Eucalyptus triantha* Link.) and mountain ash (*Eucalyptus regnans* F. Muell.). Holzforschung 16: 56-61.

Tamblyn, N. (1962). Some current trends and problems in wood preservation in Australia. Austis Conference, October 1962, 3 pp.

Tamblyn, N. (1962). Some current trends and problems in wood preservation in Australia. The Australian Timber J. 28 (11): 79,81,83,85,87,88,89.

Anonymous (1963). Lecture 2. Wood Preservatives. Course in Wood Preservation. DFP.24 pp.

Christensen, F.J. and Barnacle, J.E. (1963). Research on pole seasoning in Australia. Paper No. 7, Australian Telecommunicatinos Monographs No. 2. Symp on the preservative treatment of wooden poles, Melbourne.

Coaldrake, J.E. and Dale, F.A. (1963). The treatment of brigalow for fence posts. For. Prod. Newsletter No. 293.

Da Costa, E.W.B. and Kerruish, R.M. (1963). Laboratory evaluation of chromated metallic preservatives against soft rot fungi in beech. Holzforschung 17: 12-18.

Dale, F.A. (1963). Dangers ahead in pole treatment. Australian Telecommunication Monographs No. 2. Symp. on Preservative Treatment of Wooden Poles, March 1963, 5 pp.

Gay, F.J. and Hirst, K. (1963). Termite-proof plywood through glue line poisons. For. Prod. Newsletter No. 297.

Hirst, K. and Gottstein, J.W. (1963?). Preservation of plywood. Plywood Technical Notes No. 7, 19 pp.

Howick, C.D. (1963). Value of fence post preservation to the farmer. Victoria's Resources 5: 45-46.

Johanson, R. and Da Costa, E.W.B. (1963). "Preservatives for poles". Australian telecommunication monograph No. 2: 86-91.

Kerruish, R.M. and Da Costa, E.W.B. (1963). Monocaryotization of cultures of *Lenzites trabea* (Pers.) Fr. and other wood-destroying basidiomycetes by chemical agents. Ann. Bot. 27: 653-669.

Rudman, P. (1963). An assessment of preservative treated radiata pine rail sleepers. CSIRO Forest Prod. Newsletter No. 301: 1-4.

Rudman, P. (1963). Some observations on the biological activity of the metabolic products of the wood rotting fungus *Lentinus lepideus*. Holzforschung 17: 149-151.

Rudman, P. and Gay, F.J. (1963). The causes of natural durability in timber X. The deterrent properties of some three-ringed carbocyclic and heterocyclic substances to the subterranean termite *Nasutitermes exitiosus* (Hill). Holzforschung 17: 21-25.

Rudman, P., Henderson, L., McCarthy, D.F. and Bowers, E.A. (1963). The impregnation of green *Pinus radiata* D. Don with an unfixed water-borne preservative by steam-vacuum drying and intermittent pressure treatment. J. Inst. Wood Sci. No. 11: 45-56.

Segnit, E.R., Liversidge, R.M. and Gelb, T. (1963). Mechanism of corrosion of firebrick by ash of borax-impregnated timber. Aust. J. Appl. Sci. 14: 155-167.

Barnacle, J.E. and Campbell, G.S. (1964). Drying problems associated with high pressure preservation of karri (*E. diversicolor*) crossarms. For. Prod. J. 14: 265-272.

Beesley, J. (1964). The small specimen test, Part I. For. Prod. Newsletter No. 310, Part II No. 311.

Da Costa, E.W.B. and Kerruish, R.M. (1964). Tolerance of *Poria* species to copper-based wood preservatives. For. Prod. J. 14: 106-112.

Howick, C.D. (1964). Common borers in building timbers. Part V. The longicorn borers. For. Prod. Newsletter No 308.

Osborne, L.D. and Thrower, L.B. (1964). Thiamine requirement of some woodrotting fungi and its relation to natural durability of timber. Trans. Brit. Mycol. Soc 47: 601-611. (when with Univ Melb)

Rudman, P. (1964). The pressure preservative treatment of green radiata pine. CSIRO Forest Prod. Newsletter No. 307: 1-2.

Rudman, P. (1964). The causes of natural durability in timber. XVI. The causes of variation in decay resistance in jarrah (*Eucalyptus marginata* Sm.). Holzforschung 18: 172-177.

Rudman, P. (1964). Durability in the genus Eucalyptus. Australian Forestry 28: 242-257.

Tamblyn, N. (1964). Preservative treatments for building timbers. 2<sup>nd</sup> Australian Building Research Congress, Sydney, August 1964, paper 4B2, 10 pp.

Da Costa, E.W.B. and Kerruish, R.M. (1965). The comparative wood-destroying ability and preservative tolerance of monocaryotic and dicaryotic mycelia of *Lenzites trabea* (Pers.) Fr. and *Poria vaillantii* (DC ex Fr.) Cke. Annals Botany 29: 241-252.

Greaves, H. (1965). The Woodworm Problem in Britain. Biol. J. St. Andrews Univ. 5(2), 20-25. (before CSIRO).

Greaves, H. and Savory, J.G. (1965). Studies of the microfungi attacking preservative-treated timber, with particular reference to methods for their isolation. J. Inst. Wood Sci. 3(15), 45-50.

Greaves, H. and Levy, J.F. (1965). Comparative degradation of sapwood of Scots pine, beech and birch, by *Lenzites trabea*, *Polystictus versicolor*, *Chaetomium globosum*, and *Bacillus polymyxa*. J. Inst. Wood Sci. 3(15), 55-63.

Greaves, H. (1965). The effect of bacterial action on some wood cubes in shake culture. In "Holz und Organismen". Eds. G. Becker and W. Liese, 1: 61-67 Duncker and Humblot, Berlin.

Johanson, R. (1965). The incorporation of arsenic in creosote and wood tar material to increase termiticidal effectiveness. Inst. Wood Sci. J. 3: 36-44.

Rudman, P. (1965). Studies in wood preservation. Pt. I. The penetration of liquids into eucalypt sapwoods. Holzforschung 19: 5-13.

Rudman, P. (1965). The causes of natural durability in timber. XIX. Ageing of eucalypt heartwoods and its effects on decay resistance. Holzforschung 19: 190-195.

Rudman, P. (1965). The causes of variations in the natural durability of wood: Inherent factors and ageing and their effects on resistance to biological attack. Holz und Organismen 1: 151-162.

Da Costa, E.W.B. and Gay, F.J. (1966). Laboratory evaluation of the durability of brigalow (*Acacia harpophylla* F. Muell.) heartwood. CSIRO DFP Technological Paper No. 42.

Da Costa, E.W.B. and Osborne, L.D. (1966). Comparative decay resistance of twenty six New Guinea timber species in accelerated laboratory tests. Commonwealth Forestry Review 6 (46): 63-74.

Dale, F.A. (1966). Fence posts and fire. CSIRO For. Prod. Newsletter No. 328.

Howick, C.D. (1966). Hylotrupes bajulus: Its incidence in Australia and a survey of its habits. CSIRO DFP Technological Paper No. 47, 16 pp.

Howick, C.D. (1966). The incidence & distribution of termite attack in Melbourne & environs. Quantity Surveyor 13 (4): 18-19.

Johanson, R. (1966). Affinity of the phenols in creosote for As<sub>2</sub>O<sub>3</sub>. Chemistry and Industry, pp 1269-1270.

Johanson, R. (1966). The effect of phenols on the evaluation of creosote and petroleum oil admixtures. J. Inst. Wood Sci. No. 17: 38-44.

Lawrence, C. Okigbro, Greaves, H. and Levy, J.F. (1966). Some aspects of the effect of external environment on the decay of wooden fence posts. BWPA News Sheet No. 65. 4 pp. (when with Imperial)

Levy, J.F. and Greaves, H. (1966). Microscopic observation on the types of timber decay in a disused copper mine. BWPA News Sheet No. 68. 6 pp. (when with Imperial)

Okigbo, L.C. and Greaves, H. (1966). Some aspects of the effect of external environment on the decay of wooden fence posts. B.W.P.A. Newsletter, No. 65.

Rudman, P. (1966). Studies in wood preservation. II. Movement of aqueous solutions through the pits and cell walls of eucalypt sapwoods. Holzforschung 20: 57-60.

Rudman, P. (1966). Studies in wood preservation. III. The penetration of the fine structure of wood by inorganic solutions, including wood preservatives. Holzforschung 20: 60-67.

Rudman, P. (1966). A note on the use of the electron probe X-ray microanalyser in wood preservation. J. Inst. Wood Sci. 16: 16-21.

Rudman, P. (1966). A simple method for the estimation of copper-chrome-arsenic wood preservatives in poles. CSIRO, DFP Technological Paper No. 45.

Rudman, P. (1966). Decay resistance in the cypress pines. Australian Forestry 30: 279-282.

Tamblyn, N. (1966). Preservation of hardwood building timbers with special reference to tropical countries. ?????????? : 20-24.

Barnacle, J.E. and Christensen, F.J. (1967). Boultonizing: A promising seasoning method for poles of some eucalypts. CSIRO For. Prod. Newsletter No. 339.

Barnacle, J.E. and Christensen, F.J. (1967). Kiln drying of *Pinus radiata* poles and posts. CSIRO For. Prod. Newsletter No. 342.

Beesley, J. (1967). Eradicating termites (white ants) from buildings.

Beesley, J. (1967). Marine borer tests with pressure-treated timber. For. Prod. Newsletter No 341.

Da Costa, E.W.B. (1967). Laboratory evaluations of wood preservatives. Pt. I. Effectiveness of waterborne preservatives against decay fungi after severe leaching. Holzforschung 21: 50-57.

Da Costa, E.W.B. and Osborne, L.D. (1967). Comparative decay resistance of twenty-six New Guinea timber species in accelerated laboratory tests. Commonw. For. Rev. 46: 63-74.

Johanson, R. (1967). The incorporation of arsenic in creosote. Part 3. Stability of arsenical creosote in the presence of water and in wood. J. Inst. Wood Sci. No. 19: 15-26.

Osborne, L.D. (1967). Decay resistance of the heartwood of *Tsuga chinensis* Pritz. (Chinese Hemlock) and comparable timbers in laboratory tests. The Commonwealth Forestry Review 46 (4), No. 130: 296-297.

Rudman, P. and Da Costa, E.W.B. (1967). Wood quality in plus trees of teak (*Tectona grandis* L.f.) – Assessment of decay and termite resistance. Silvae Genetica 16: 102-105.

Rudman, P. and Gay, F.J. (1967). The causes of natural durability in timber. XX. The causes of variation in the termite resistance of jarrah (*Eucalyptus marginata* Sm.). Holzforschung 21: 21-23.

Rudman, P. and Gay, F.J. (1967). The causes of natural durability in timber. XXI. The anti-termitic activity of some fatty acids, esters and alcohols. Holzforschung 21: 24-26.

Barnacle, J.E. and Christensen, F.J. (1968). Pole timbers and their drying as factors in forest utilization. 9<sup>th</sup> British Commonwealth Forestry Conference, 12 pp.

Barnacle, J.E. and Gottstein, J.W. (1968). Control of end splitting in round timber. CSIRO DFP Technical Notes No. 4.

Da Costa, E.W.B. and Osborne, L.D. (1968). Laboratory evaluations of wood preservatives. II. Effect of timber substrate on the performance of a copper-chromearsenic preservative. Holzforschung 22: 81-88.

Dale, F.A. (1968). Testing fire resistance of fence posts. For. Prod. Newsletter No. 351.

Dale, F.A. (1968). Internal decay in treated poles. Forest Resources Newsletter, No. 4, 79-81.

French, J.R.J. (1968) - Test of susceptibility of brush box to attack by the furniture beetle. Aust. For. 32(2): 92-94. (before CSIRO)

French, J.R.J. (1968) - The distribution of the furniture beetle, *Anobium punctatum* (De Geer) in New South Wales. J. aust. Ent. Soc. <u>7</u>(2): 115-122.

French, J.R.J. and R.S. Johnstone (1968) - Heat sterilization of block-stacked timber in wood destroying insect control. J. Inst. Wood Sci. <u>20</u>(4): 42-46.

French, J.R.J. (1968) - The European House Borer, *Hylotrupes bajulus* (L.) For. Comm. N.S.W. Div. Wood Tech., Tech. Publ. No. 4 p.4.

French, J.R.J. (1968) - An artificial egg-laying site for the common furniture beetle *Anobium punctatum* (De Geer). J. Inst. Wood Sci. <u>21</u>: 34-36.

French, J.R.J. (1968). The effect of temperature and humidity on the life cycle of the furniture beetle *Anobium punctatum* (De Geer). M.Sc. Thesis, University of New South Wales, Kensington, N.S.W.

Greaves, H. (1968). Preliminary investigations on steam debarking. CSIRO For. Prod. Newsletter No. 353 and Timber 5(10), 17.

Greaves, H. (1968). The occurrence of bacterial decay in copper-chrome-arsenic treated wood. Appl. Microbiol. 16(10), 1599-1601.

Greaves, H. and Levy, J.F. (1968). Microbial associations in the deterioration of wood under long-term exposure. In "Bio-deterioration of Materials. Microbiological and Allied Aspect". Eds. A.H. Walters and J.S. Elphick. pp 429-443. Elsevier Publ. Co. Ltd., London.

Howick, C.D. (1968). Common borers in building timbers. Part VI. Bostrychid borers – "Auger beetles". CSIRO For. Prod. Newsletter No. 348.

Tamblyn, N., Colwell, S.J. and Vickers, G.N. (1968). Preservative treatment of tropical building timbers by a dip-diffusion process. Proc. 9th. Brit. Comm. For. Conf. New Delhi.

Anonymous (1969). Boultonizing of sawn hardwood rail sleepers. CSIRO For. Prod. Newsletter No. 364.

Anonymous (1969). Round fence posts resist fire. Rural Research in CSIRO, 67: 22-23.

Beesley, J. (1969). At sea with treated timber. CSIRO For. Prod. Newsletter No 367.

Da Costa, E.W.B. and Dale, F.A. (1969). Inexpensive apparatus for the rapid and accurate dispensing of sterile culture media. Laboratory Practice 18: 167-168.

Da Costa, E.W.B., Johanson, R. and Osborne, L.D. (1969). Laboratory evaluations of wood preservatives. III. Effectiveness of Australian vertical retort creosotes against decay, in relation to phenolic content. Holzforschung 23: 99-107.

Da Costa, E.W.B. and Osborne, L.D. (1969). An evaluation of preservatives for the superficial treatment of wood. J. Inst. Wood Sci. 24: 3-5.

Da Costa, E.W.B. and Osborne, L.D. (1969). Laboratory evaluations of wood preservatives. IV. Effect of experimental variables in testing creosotes against decay fungi. Holzforschung 23: 206-212.

Dale, F.A. (1969). Sap displacement simplified. CSIRO For. Prod. Newsletter No. 360: 1-2.

French, J.R.J. (1969) - Toxicity of aldrin and of boric acid in particleboard to larvae of the common furniture beetle, *Anobium punctatum* (De Geer). J. Inst. Wood Sci. <u>22</u>: 37-40. (before CSIRO).

French, J.R.J. (1969) - Occurrence and control of European House Borer in New South Wales. Aust. For. <u>33(1)</u>: 13-18.

French, J.R.J. and R. Keirle (1969) - Studies in fire-damaged radiata pine plantations. Aust. For. 33(3): 175-180.

Greaves, H. (1969). Wood-inhabiting bacteria: General considerations. CSIRO For. Prod. Newsletter No. 359.

Greaves, H. (1969). Micromorphology of the bacterial attack of wood. Wood Sci. Techn. 3(2), 150-166.

Johanson, R. (1969). Arsenical creosote. 4. The fixation mechanism of arsenic in sapwood of two *Eucalyptus* spp. Holzforschung 23: 181-184.

Johanson, R. (1969). Arsenical creosote-a new development. Australian Power Engineering 9. 2pp.

Johanson, R. (1969). Arsenical creosote. VI. Importance of the vicinal hydroxyls in the reaction of phenols with arsenic trioxide. J. appl. Chem. 19: 201-208.

Rosel, A. (1969). Oviposition, egg development and other features of the biology of five species of Lyctidae (Coleoptera). J. Aust. Entomol. Soc. 8: 145-152.

Rosel, A. (1969). The toxicity of arsenic to wood boring beetles of the family Lyctidae (Coleoptera). J. Inst. Wood Sci. No. 24: 44-49.

Rudman, P. and Edwards, D. (1969). The protection of wood raw material during storage. Mater. Org. 4: 239-254.

Scurfield, G. and Da Costa, E.W.B. (1969). Fine structure of the walls of the conidia of various fungi and of the conidiophore of *Fomes annosus*. Aust. J. Bot. 17: 13-24.

Woodhead, W.D. (1969). The performance of natural exterior finishes on wood. Australian OCCA proceedings and news 6 (8), 8 pp.

Woodhead, W.D. (1969). Natural finishes on wood. CSIRO For. Prod. Newsletter No. 365.

Da Costa, E.W.B. and Osborne, L.D. (1970). Residual fungitoxic effects of propylene oxide sterilization of creosoted wood. Trans. Br. mycol. Soc. 55: 337-340.

Dale, F.A. (1970). Wood, wind, and water. CSIRO For. Prod. Newsletter No. 372.

Dale, F.A. (1970). Treated wooden fence droppers. CSIRO For. Prod. Newsletter No. 375: 1-2.

French, J.R.J. (1970) - Review of control measures against the common furniture beetle, *Anobium punctatum* (De Geer). J. Inst. Wood Sci. <u>5</u>(2): 29-32.

French, J.R.J. (1970) - The effects of temperature humidity on the life cycle of the common furniture beetle *Anobium punctatum* (De Geer) (Coleoptera: Anobiidae). J. Inst. Wood Sci.  $\underline{6}(2)$ : 1-12.

Greaves, H. (1970). The effect of some wood-inhabiting bacteria on the permeability characteristics and microscopic features of *Eucalyptus regnans* sapwood, and *Pinus radiata* sapwood and heartwood. Holzforschung 24(1): 6-14.

Greaves, H. (1970). The effect of selected bacteria and actinomycetes on the decay capacities of some wood-rotting fungi. Mat. u. Organismen 5(4), 265-279.

Greaves, H. and Barnacle, J.E. (1970). A note on the effect of microorganisms on creosote penetration in *Pinus elliottii* sapwood and *Eucalyptus diversicolor* heartwood. Forest Prod. J. 20: 47-51.

Greaves, H. and Foster, R.C. (1970). The fine structure of bacterial attack of wood. J. Inst. Wood Sci. 5(1), 18-27.

Grime, J.P., Blythe, G.M. and Thornton, J.D. (1970). Food selection by the snail *Cepaea nemoralis* L. In: Animal populations in relation to their food resources. British Ecological Society Symposium Number Ten edited by Adam Watson, pp. 73-99. (before CSIRO).

Johanson, R. (1970). Arsenical creosote. 5. The influence of temperature on the fixation mechanism of arsenic in *Pinus radiata*. Holzforschung 24: 137-141.

Osborne, L.D. (1970). Decay resistance of south-west pacific rain-forest timbers. CSIRO DFP Technological Paper No. 56, 30 pp.

Osborne, L.D. and Da Costa, E.W.B. (1970). Variation in copper tolerance among homokaryotic and dikaryotic mycelia of *Polyporus palustris* Berk. et Curt. Annals Botany 34: 941-950.

Thornton, J.D. and Cooke, R.C. (1970). Accumulation of dark-fixed carbon compounds in pustules of *Albugo tragopogonis*. Transactions of the British Mycological Society 54, 483-485. (before CSIRO).

Da Costa E.W.B. (1971). Suppression of the inhibitory effects of arsenic compounds by phosphate. Nature New Biology 231: 32.

Da Costa, E.W.B., Gay, F.J. and Osborne, L.D. (1971). Laboratory evaluations of wood preservatives. V. The effectiveness of some Australian creosotes against subterranean termites. Holzforschung 25: 43-47.

Da Costa, E.W.B. and Osborne, L.D. (1971). Laboratory evaluations of wood preservatives. VI. Effectiveness of organotin and organolead preservatives against decay and soft rot fungi. Holzforschung 25: 119-125.

French, J.R.J. and R.A. Roeper (1971) - Observations of *Trypodendron rufitarsus* (Coleoptera: Scolytidae) and its primary symbiotic fungus, *Ambrosiella hartigii*. Ann. Ent.Soc. Amer. <u>65</u>: 282.

Greaves, H. (1971). Biodeterioration in wood chips. CSIRO For. Prod. Newsletter 378 (1970) and Aust. Timber Journal 37(6), 25-27.

Greaves, H. (1971). The bacterial factor in wood decay. Wood Science & Technol. 5, 6-16.

Greaves, H. (1971). The effect of substrate availability on cellulolytic enzyme production by selected wood-rotting microorganisms. Aust. J. Biol. Sci. 24(6), 1169-1180.

Greaves, H. (1971). Some novel applications of Photomicroscope II in wood research. Zeiss Information 78, 4-7.

Greaves, H. (1971). Biodeterioration of tropical hardwood chips in outdoor storage. Tappi 54(7), 1128-1133.

Greaves, H. (1971). *Bacillus stearothermophilus* (Donk), a strongly heat resistant thermophilic contaminant in prepared dehydrated nutrient agar. Laboratory Practice 20(11), 853-855, 858.

Greaves, H. (1971). Deterioration in wood chip piles of tropical rainforest timbers. Proc. 15th For. Prod. Res. Conf. Item 3/4, 56-57.

Greaves, H. and Barnacle, J.E. (1971). Some observations on the penetration paths in green *Pinus elliottii* during drying in hot creosote. Holzforschung 25: 162-166.

Howick, C.D and Carr, H. (1971). Status of the European house borer in Australia and an example of quarantine action to prevent its establishment. Internat. Pest Control 13 (6): 8-11.

Howick, C.D. and Tamblyn, N. (1971). Transportation of large numbers of the termite Coptotermes acinaciformis (Froggatt) (Isoptera: Rhinotermitidae) for laboratory testing. J. Aust. Ent. Soc. 10: 57-60.

Johanson, R. (1971). Arsenical creosote. 8. Variation of creosote retention in the sapwood of *Eucalyptus* spp. and arsenic distribution in poles treated with arsenical creosote. Holzforschung 25: 49-57.

Johnson, G.C. (1971). Forest ownership and disposal. Forestry Handbook for British Columbia (3<sup>rd</sup> Ed). UBC Forest Club, pp. 2-30 (before CSIRO).

Johnson, G.C. (1971). Silvicultural practice. Forestry Handbook for British Columbia (3<sup>rd</sup> Ed). UBC Forest Club, pp. 315-369 (before CSIRO).

Johnson, G.C. (1971). Forest genetics. Forestry Handbook for British Columbia (3<sup>rd</sup> Ed). UBC Forest Club, pp. 370-377 (before CSIRO).

Johnson, G.C. (1971). Forest insects. Forestry Handbook for British Columbia (3<sup>rd</sup> Ed). UBC Forest Club, pp. 392-420 (before CSIRO).

McCarthy, D.F. and Seaman, W.G. (1971). Improvements in or relating to wood preserving. Australian Patent No. 434453.

Rosel, A. (1971). A note on ammoniation and its influence on the susceptibility of starchy sapwood to *Lyctus brunneus* (Stephens) (Lyctidae-Coleoptera). J. Inst. Wood Sci. No. 28: 47-48.

Tamblyn, N. (1971). Termites and Quarantine in Australia. For. Prod. Newsletter No. 384.

Tamblyn, N. (1971). Marine borer tests of preservative-treated timbers in Papua New Guinea. CSIRO For. Prod. Newsletter No. 386.

Da Costa, E.W.B. (1972). Variation in the toxicity of arsenic compounds to microorganisms and the suppression of the inhibitory effects by phosphate. Appl. Microbiol. 23: 46-53.

Da Costa, E.W.B., Hirst, K. and Osborne, L.D. (1972). Laboratory evaluations of wood preservatives. VIII. Protection of plywood against decay fungi by incorporation of fungicides in the glueline. Holzforschung 26: 131-138.

Da Costa, E.W.B. and Osborne, L.D. (1972). Laboratory evaluations of wood preservatives. VII. Effect of chemical structure on toxicity of organotin and organolead compounds to wood-destroying fungi. Holzforschung 26: 114-7.

French, J.R.J. (1972). Biological interrelations between the ambrosia beetle *Xyleborus dispar* and its symbiotic fungus. J. Insect Physiol. <u>19</u>: 593-605.

French, J.R.J. and R.A. Roeper (1972) - In vitro culture of the ambrosia beetle *Xyleborus dispar* (Coleoptera: Scolytidae) with its symbiotic fungus, *Ambrosiella hartigii*. Ann. Ent. Soc. Amer. <u>65</u>: 719-721.

French, J.R.J. and R.A. Roeper (1972) - Interactions of the ambrosia beetle, *Xyleborus dispar* (Coleoptera: Scolytidae), with its symbiotic fungus *Ambrosiella hartigii* (Fungi Imperfecti). Can. Entomol. <u>104</u>: 1635-1641.

Greaves, H. (1972). Influence of a mixed microbial population on basidiomycete decay. Mat. u. Organismen 7(1), 11-25.

Greaves, H. (1972). Microbial ecology of untreated and CCA-treated stakes exposed in a tropical environment. I. The initial invaders. Can. J. Microbiol. 18(12), 1923-1931.

Greaves, H. (1972). Structural distribution of chemical components in preservative-treated wood by energy dispersion X-ray analysis. Mat. u. Organismen 7(4), 277-286.

Howick, C.D. (1972). European house borer *Hylotrupes bajulus* (L.) in Australia: research requirements and establishment of laboratory cultures. Zeitschrift für angewandte Entomologie 72: 141-8.

McCarthy, D.F., Seaman, W.G., Da Costa, E.W.B. and Bezemer, L.D. (1972). Development and evaluation of a leach resistant fire retardant preservative for pine fence posts. J. Inst. Wood Sci. 6: 24-31.

Walters, N.E.M. (1972). Case histories of the dry rot fungus *Serpula lacrymans* Gray. For. Prod. Newsletter No. 387.

Beesley, J. (1973). Creosotee pole stubs – a 39 year-old test at Benalla. For. Prod. Newsletter No. 395.

Bezemer, L.D. (1973). Variability in mating behaviour and culture appearance of *Lenzites trabea*. Annals of Botany 37: 661-671.

Bezemer, L.D. and Da Costa, E.W.B. (1973). Laboratory evaluation of new preservatives. Proc. 16th For. Prod. Res. Conf., Melbourne. Topic 3/30.

Bezemer, L.D., Da Costa, E.W.B. and Gay, F.J. (1973). Suitability of solvents and dyes for use in laboratory bioassays with fungi and termites. Inter. Biodetn. Bull. 9: 101-104.

Da Costa, E.W.B. (1973). Sub-floor ventilation of old and new buildings. Proc. 16th For. Prod. Res. Conf., Melbourne. Topic 3/16.

Da Costa, E.W.B. (1973). Needs for preservative treatment of wood based panels. Proc. 16th For. Prod. Res. Conf., Melbourne. Topic 3/38.

Da Costa, E.W.B. (1973). Identification of vegative states of Hymenomycetes. Proc. 45<sup>th</sup> ANZAAS Congress, Perth, August.

Da Costa, E.W.B. and Bezemer, L.D. (1973). Decay of untreated wood in contact with treated wood. J. Inst. Wood Sci. 6: 13-16.

Da Costa, E.W.B. and Bezemer, L.D. (1973). Anti-fungal effectiveness of copper-chrome-arsenic preservatives in a phosphatic environment. Internat. Biodet. Bull. 9: 44-48.

Dale, F.A. (1973). Sleepers awake. For. Prod. Newsletter No. 393.

Dale, F.A. (1973). Availability of future supplies of rail sleeper timbers. Proc. 16th For. Prod. Res. Conf., Melbourne. Topic 3/21.

Dale, F.A. (1973). Improvements required in wood for it to keep its place in outdoor use. Proc. 16th For. Prod. Res. Conf., Melbourne. Topic 3/32.

French, J.R.J. (1973). New concepts and strategies in pest control. 16th For. Prod. Res. Conf., Melbourne. Topic 3/43. 6 pp.

French, J.R.J. and R.A. Roeper (1973) - Patterns of nitrogen utilization between ambrosia beetle *Xyleborus dispar* and its symbiotic fungus. J. Insect Physiol. <u>19</u>: 593-605.

Greaves, H. (1973). Selected wood-inhabiting bacteria and their effect on strength properties and weights of *Eucalyptus regnans* F. Muell and *Pinus radiata* D. Don sapwoods. Holzforschung 27: 20-26.

Greaves, H. (1973). Comparative morphology of selected sapwood species using the scanning electron microscope. Holzforschung 27: 80-88.

Greaves, H. (1973). Outdoor storage of tropical hardwood chips. III Microbial ecology of chip piles after 2 and 4 months storage. Appita 27(1), 25-30.

Greaves, H. (1973). Bacterial uptake of elements from a copper-chrome-arsenic containing medium. Mat. u. Organismen 8(2), 85-98.

Greaves, H. (1973). X-ray analysis of selected anatomical structures in copper-chrome-arsenic treated wood. 5th Ann. Meeting Internat. Res. Group on Wood Pres. Doc. No. IRG/WP/320.

Hemmingway, R.W. and Greaves, H. (1973). Biodegradation of resin acid sodium salts. Tappi 56(12), 189-192.

Hemmingway, R.W., Greaves, H., Da Costa, E.W.B. and Hillis, W.E. (1973). Biodegradation of resin acids. 16th For. Prod. Res. Conf. Topic 4/5, 3pp.

Howick, C.D. and Creffield, J.W. (1973). Recent Developments in Australian laboratory termite assessment techniques. Proc. 16th Forest Prod. Res. Conf., Topic 3/41, 1-6.

Johanson, R. (1973). On the downward movement of creosote in *Eucalyptus* poles. Holzforschung 27: 7-11.

Johanson, R. (1973). Determination of Cu-Cr-As and Zn in preserved wood by atomic absorption spectroscopy. Holzforschung 27: 126-132.

Johanson, R. (1973). Are chlorinated hydrocarbon compounds safe to use in wood protection? Proc. 16th For. Prod. Res. Conf., Melbourne. Topic 3/31.

Johanson, R. and Dale, F.A. (1973). Arsenic on the surface of round pine treated with Cu-Cr-As preservative. Holzforschung 27: 187-189.

Lenz, M. and Creffield, J.W. (1973). Responses of some Australian subterranean termites to solid wood and sawdust of four wood species. Proc. 16th Forest Prod. Res. Conf., Topic 3/40, 1-8.

Mackay, J.F.G. (1973). Surface checking and drying behavior of *Pinus radiata* sapwood boards treated with CCA preservative. For. Prod. J. 23: 92-97.

Tamblyn, N. (1973). Report on wood preservation committee (1971-1972). Proc. 16th For. Prod. Res. Conf., Melbourne. Topic 3/24.

Tamblyn, N. (1973). Organic solvent preservatives. Proc. 16th For. Prod. Res. Conf., Melbourne. Topic 3/26.

Tamblyn, N. (1973). Soft rot in poles. Proc. 16th For. Prod. Res. Conf., Melbourne. Topic 3/34.

Walters, N.E.M. (1973). Australian house fungi. CSIRO DBR Forest Products Technical Notes No. 13,

Walters, N.E.M. and Da Costa, E.W.B. (1973). Decay and discoouration in old and new structures. Proc. 16th For. Prod. Res. Conf., Melbourne. Topic 3/37.

Barnacle, J.E. and Ampong, F.F.K. (1974). Refractory intermediate wood in round teak fence posts. Ghana J. Sci. 14: 193-198.

Becker, G., Greaves, H. and Hantsche, H. (1974). Uber Eindringtiefe und Verteilung der Elemente von Fluor-Verbindungen in Nadelholz. (On the penetration and distribution of the elements from fluorine compounds in softwoods). Holz Roh-u.Werkstoff 32(9), 335-3339.

Beesley, J., Keough, J.J. and Moulen, A.W. (1974). Early burning properties of Australian building timbers. CSIRO DBR Technical Paper (second series) No. 6.

Bezemer, L.D., Da Costa, E.W.B. and Gay, F.J. (1974). Laboratory evaluations of wood preservatives. IX. Effectiveness of low and high temperature creosotes against wood-rotting fungi and subterranean termites. Holzforschung 281: 24-29.

Da Costa, E.W.B. (1974). Subfloor ventilation. For. Prod. Newsletter No 398.

French, J.R.J. (1974). Introduction to pest control course - Ecology (=environmental biology). Oakleigh Tech. School, Oakleigh. 6 pp.

French, J.R.J. (1974) - A juvenile hormone analogue inducting caste differentiation in the Australian termite *Nasutitermes exitiosus* (Hill) (Isoptera: Termitidae). J. Aust. Ent. Soc. <u>13</u>: 353-356.

French, F.R.J. (1974). The challenge of urban forestry. Community. 9: 6-7.

Friend, J. and Thornton, J.D. (1974). Caffeic acid-o-methyl transferase, phenolase and peroxidase in potato tuber issue inoculated with *Phytopthora infestans*. Phytopathologie Zeitschrift 81, 56-64. (before CSIRO).

Greaves, H. (1974). Decay of buried timber. Corrosion in South Australian soils, an Australasian Corrosion Association Symposium, Glenelg, 18 June 1974, 10 pp.

Greaves, H. (1974). Microbiology of wood chips stored under tropical conditions. Australian Plant Pathology Society Newsletter 3 (2): 36-37.

Greaves, H. (1974). Energy dispersion X-ray analysis in the scanning electron microscope as a means of measuring cellular-elemental composition in bacterial cells. Appl. Microbiol. 27(3), 609-611.

Greaves, H. (1974). Decay of buried timber. Proc. Aust. Corr. Assoc. Symp., Adelaide, June pp.10.

Greaves, H. (1974). Electron probe X-ray analysis of selected anatomical structures in copper-chrome-arsenic treated wood. Wood Sci. 7(2), 164-168.

Greaves, H. (1974). The microdistribution of copper-chrome-arsenic in preservative treated sapwoods using X-ray microanalysis in scanning electron microscopy. Holzforschung 28(6), 193-200.

Greaves, H. (1974). A review of the influence of structural anatomy on liquid penetration into hardwoods. J. Inst. Wood Sci. 6(6), 37-40.

Howick, C.D. (1974). The giant northern termite – Mastotermes darwiniensis. CSIRO For, Prod. Newsletter No 396.

Jennings, D.H., Thornton, J.D., Galpin, M.F.J. and Coggins, C.R. (1974). Translocation in fungi. In: Transport at the cellular level. Symposia of the Society for Experimental Biology, Number XXVIII, pp. 139-156. Cambridge University Press. (before CSIRO).

Johanson, R. (1974). Determination of Cu-Cr-As and Zn in H<sub>2</sub>SO<sub>4</sub>/HNO<sub>3</sub> digetsed extracts of preserved wood by atomic absorption spectroscopy, with reference to As in karri rail sleepers. Holzforschung 28: 117-121.

Johanson, R. (1974). Copper-flourine-boron diffusion wood preservatives. 1: Chemistry and properties of highly concentrated Cu-F-B preparations. Holzforschung 28: 148-153.

Johanson, R. (1974). Copper-flourine-boron diffusion wood preservatives. II: On diffusion, leaching, and possible applications of Cu-F-B. Holzforschung 28: 176-179.

Rosel, A. and French, J.R.J. (1974). Dutch elm disease beetle in Australia. CSIRO For. Prod. Newsletter. Number 398: 6-9.

Rosel, A. and French, J.R.J. (1974). Dutch elm disease beetle in Australia. Nature. Lond. <u>253</u>: 305.

Tamblyn, N. (1974). Some developments in wood preservation. 10<sup>th</sup> Common. For. Conf., Oxford and Aberdeen, UK, Sept 74.

Thornton, J.D. and Cooke, R.C. (1974). Changes in respiration, chlorophyll content and soluble carbohydrates of detached cabbage cotyledons infected with *Peronospora parasitica* (Pers ex Fr.). Physiological Plant Pathology 4, 117-126. (before CSIRO).

Usher, M.B. and Barnacle, J.E. (1974). Termites and telegraph poles in the northern region of Ghana. Ghana J. Sci. 14: 39-46.

Barnacle, J.E. (1975). Centre rot problem in poles. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/16.

Barnacle, J.E. (1975). Preservative treatment of wood used in the sea. In 'The economy and utilization of timber in the tropics through wood preservation'. Proc. Tropical Wood Preservation Training Seminar, Session 5, Dept of Forests, Port Moresby, July, 27 pp.

Barnacle, J.E. (1975). Termites and timber. Part IIB. Field termite tests, and Part III. Eradication and prevention of attack and some methods of control. In 'The economy and utilization of timber in the tropics through wood preservation'. Proc. Tropical Wood Preservation Training Seminar, Session 8, Dept of Forests, Port Moresby, July, 16 pp.

Barnacle, J.E. and Ampong, F. (1975). Limnoriid marine wood borers at Sekondi: Selective attack indicated in sawn heartwood piles of *Chlorophora excelsa* (Welw.) Benth. Mater. Org. 10: 291-310.

Barnacle, J.E. and Da Costa, E.W.B. (1975). Field and laboratory testing in the tropics. In 'The economy and utilization of timber in the tropics through wood preservation'. Proc. Tropical Wood Preservation Training Seminar, Session 7, Dept of Forests, Port Moresby, July.

Da Costa, E.W.B. (1975). CCA-treated pine rounds an ideal, safe material for playground equipment. For. Prod. Newsletter No. 400.

Da Costa, E.W.B. (1975). Is treated timber dangerous? Power Farming Magazine, p 17.

Da Costa, E.W.B. (1975). Subfloor ventilation. The Builder, pp 13, 15.

Da Costa, E.W.B. (1975). Techniques for early evaluation of *in situ* treatments for poles. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/21.

Da Costa, E.W.B. (1975). Improved method for detection of internal decay in poles and in building timbers. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/22.

Da Costa, E.W.B. (1975). Collaborative preservative tests with the international research group on wood preservation. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/13c.

Da Costa, E.W.B. (1975). Natural decay resistance of wood. Biological Transformation of Wood by Micro-organisms. Springer-Verlag, Berlin (from Proc 2<sup>nd</sup> Int Congr on Plant Pathology, Minneapolis usa, Sept 1973).

Da Costa, E.W.B. and Barnacle, J.E. (1975). Systematic collection and collation of service data. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/15.

Da Costa, E.W.B. and Greaves, H. (1975). Laboratory test procedures. Proc. Tropical Wood Preservation Training Seminar, Session 7, Dept of Forests, Port Moresby, July, 17 pp.

Dale, F.A. (1975). A new type of incising machine. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/14.

Dale, F.A. (1975). Health hazards associated with treatment and disposal of CCA treated timber. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/23.

De Silva, D., Hillis, W.E. and Groves, K.W. (1975). Possible causes of durability under marine conditions of Syncarpia laurifolia (turpentine). Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/12.

French, J.R.J. (1975). Forest products resources from urban forests. 17th For. Prod.Res. Conf., Melbourne. Topic 2/19c, 6 pp.

French, J.R.J. (1975). Developing pest management strategies in termite control. Paper given at FAO/IUFRO World Technical Consultation of Forest diseases and insects. Delhi, 5 pp.

French, J.R.J. (1975). Urban forestry. Architect. Aust. Oct. 54-66.

French, J.R.J. (1975). Forest products resources from urban forests. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/19c.

French, J.R.J. (1975). The role of termite hindgut bacteria in wood decomposition. Mat. und. Org. <u>10(1)</u>: 1-13.

French, J.R.J. (1975). The concept of urban forestry. Aust. For. 38(3): 177-182.

French, J.R.J. and Bland, D.E. (1975). Lignin degradation in the termites *Coptotermes lacteus* and *Nasutitermes exitiosus*. Mat. und Org. <u>10</u>: 281-288.

French, J.R.J. and Robinson, P. (1975). The effects of insect growth regulators on wood-destroying insects. 17th For. Prod. Res. Conf. Melbourne. Topic 2/26 88 pp.

French, J.R.J. and Roeper, R.A. (1975). Studies on the biology of the ambrosia beetle *Xyleborus dispar* (F.) (Coleoptera: Scolytidae). Z. angew Entomol. <u>78(3)</u>: 241-247.

French, J.R.J. and Rosel, A. (1975). Dutch elm disease beetle in Australia. 17th For. Prod. Res. Conf., Melbourne, Topic 2/28 6 pp.

French, J.R.J. and Rosel, A. (1975). Dutch elm disease beetle in Australia. Paper given at FAO/IUFRO World Technical Consultation of Forest diseases and insects. Delhi, 4 pp.

Greaves, H. (1975). Photomicrography using Nomarski interference contrast and multiple exposure techniques. Ann. Symposium Microscop. Soc. Aust., Melbourne, Feb. Abstracted: Newsletter Microscop. Soc. Aust. No. 4 p. 7.

Greaves, H. (1975). Microbiological aspects of wood chip storage in tropical environments. Aust. J. Biol. Sci. 28(3), 315-322.

Greaves, H. (1975). Microdistribution of preservative in wood using electron probe X-ray analysis. 17th For. Prod. Res. Conf. Topic 2/20, 4pp.

Greaves, H. (1975). The soft rot problem in Australia and progress in remedial treatments; general methods of control. Proc. Tropical Wood Pres. Training Seminar. Port Moresby, July.

Greaves, H. (1975). Stored wood chip deterioration. A comment on chip pile storage in Papua New Guinea. Proc. Tropical Wood Pres. Training Seminar. Port Moresby, July.

Greaves, H. and Liversidge, R.M. (1975). Steam debarking of pine and eucalypt rounds and edging. 17th For. Prod. Res. Conf. Topic 1/1, 4pp.

Howick, C.D. (1975). Current studies on drywood termites. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/12c.

Howick, C.D. (1975). Poor protection produces pest prosperity. Aust. Forest Ind. J. 41: 37-42.

Howick, C.D. (1975). Influence of specimen size, test period and matrix on the amounts of wood eaten by similar groups of laboratory termites. Proc. BWPA Ann. Conv, pp 31-43.

Howick, C.D. and Creffield, J.W. (1975). The development of a standard laboratory bio-assay technique with *Mastotermes darwiniensis* Froggatt (Isoptera: Mastotermitidae). Z. Angew. Entomol. 78, 126-138.

Howick, C.D., Creffield, J.W. and Lenz, M. (1975). Field collection and laboratory maintenance of *Mastotermes darwiniensis* Froggatt (Isoptera: Mastotermitidae) for biological assessment studies. J. Aust. Entomol. Soc. 14, 155-160.

Howick, C.D., Tamblyn, N. and Creffield, J.W. (1975). Termiticidal effects of insecticidal glue-line additives. Proc. 17th Forest Prod. Res. Conf., Topic 2/25, 1-4.

Johanson, R. (1975). Arsenical diffusion treatment of *Eucalyptus diversicolor* rail sleepers. Holzforschung 29: 187-191.

Johanson, R. (1975). Prolonging life of transmission poles in service. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/14c.

Johanson, R. (1975). To protect use of arsenic. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/15c.

Johanson, R. (1975). Plantations of durable *Eucalyptus* spp. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/18c.

Johanson, R. and Howick, C.D. (1974). Copper-flourine-boron diffusion wood preservatives. III: Termiticidal effect of fluorine, boron and F-B complex. Holzforschung 29: 25-29.

Liese, W. and Greaves, H. (1975). Micromorphology of bacterial attack of wood. In: "Biological Transformation of wood by microorganisms", Ed. W. Liese, p. 74-88, Springer Verlag.

McCarthy, D. (1975). Preservative treatment of veneer and plywood. Proc. Tropical Wood Pres. Training Seminar. Port Moresby, July.

McCarthy, D. and Da Costa, E.W.B. (1975). Decay control in plywood by glue-line additives. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/24.

Muncey, R.W.R. (1975, Chief). Blue 7 – New diffusion preservative for control of decay in wood. CSIRO For. Prod. Newsletter No. 401.

Tamblyn, N. (1975). Organic solvent preservatives. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/13.

Tamblyn, N. (1975). Treatment of building timbers by dip-diffusion. Proc. Tropical Wood Pres. Training Seminar. Port Moresby, July.

Tamblyn N. (1975). Laboratory termite tests. Proc. Tropical Wood Preservation Training Seminar, Session 7, Dept of Forests, Port Moresby, July.

Tamblyn, N. (1975). Field test procedures in the study of soft rot. Proc. Tropical Wood Preservation Training Seminar, Session 7, Dept of Forests, Port Moresby, July.

Tamblyn, N. (1975). Treatments for interior building timbers. Treatments for interior building timbers. Tropical Wood Preservation Training Seminar, Session 3, topic b. Port Moresby, 12 pp.

Tamblyn, N. (1975). Termite classification and biology. Proc. Dept Forests Tropical Wood Preservation Training Seminar, Port Moresby, July.

Tamblyn, N. and Da Costa, E.W.B. (1975). Government research and development in wood preservation in non-developed countries. Proc. Tropical Wood Pres. Training Seminar. Port Moresby, July.

Tamblyn, N. and Rosel, A. (1975). Comparative tests of superficial coatings and dipdiffusion treatments for Lyctus-immunization of Victoria eucalypt framing timbers. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/27.

Watson, J.A. and Howick, C.D. (1975). The rediscovery of *Mastopsenius australis* Seevers (Coleoptera: Staphilinidae). J. Aust. Ent. Soc. 14: 19-21.

Yazaki, Y, Hillis, W.E. and French, J.R.J. (1975). Natural components that are toxic and repellant to termites. Proc. 17th For. Prod. Res. Conf., Melbourne. Topic 2/7c.

Barnacle, J.E. (1976). Wood and its preservation in the sea. A Resume. Proc. 4th International Congress on marine corrosion and fouling, Antibes, Juan Les Pins, France, pp 57-66.

Barnacle, J.E. (1976). Wood for preservation. Invited paper for Division V symposium on 'Wood property requirements for end use'. Proc. XVI IUFRO Congress Oslo, Norway, pp 56-63.

Da Costa, E.W.B. and Barnacle, J.E. (1976). Treatment of pine heartwood - needs, methods and possibilities. Australian Forest Industries J. 42: 32,34,37,38,40,41.

Da Costa, E.W.B., Howick, C.D. and Lenz, M. (1976). Termiticidal effects of arsenic in association with phosphate. Mater. Org. Suppl 3. 24: 365-376.

Dale, F.A. (1976). Preservation of round eucalypt poles in Australia. XVI IUFRO Congress Oslo, Norway, pp.

French, J.R.J. and Sharpe, R. (1976) - Urban forests for Australian cities: 133-135. In: Andresen, J.W. (ed.). 1976. Trees and forests for human settlements. Ontario, Canada, Univ. Toronto Press, 417 p.

French, J.R.J., Turner, G.L.and Bradbury, J.F. (1976) - Nitrogen fixation by bacteria from the hindgut of termites. J. gen. Microbiol. <u>95</u>: 202-206.

Happ, G.M., Happ, C.M. and French, J.R.J. (1976) - Ultrastructure of the mesonotal mycangium of an ambrosia beetle, *Xyleborus dispar* (F.) (Coleoptera: Scolytidae). J. Insect. Morph. Embryol. <u>5</u>: 381-391.

Tamblyn, N. (1976). Specification for preservative treated rail sleepers for use in Australia. Proc. 2<sup>nd</sup> Internat. Rail Sleeper Conf, Perth, Aug 1976, p. 22.

Thornton, J.D., Galpin, M.F.J. and Jennings, D.H. (1976). The bursting of hyphal tips of *Dendryphiella salina* and the relevance of the phenomenon to repression of glucose transport. Journal of General Microbiology 96, 145-153. (before CSIRO).

Walters, N. (1976). Mould control in buildings. CSIRO Rebuild.

Barnacle, J.E. (1977). Preliminary studies in penetration of radiata pine heartwood. Proc. 18th For. Prod. Res. Conf., Melbourne, Topic 2/18.

Beesley, J. (1977). Common borers in building timbers. CSIRO Information Service, Sheet No. 10-5.

Beesley, J. (1977). The value of testing treated timber in the sea. Proc. 18th For. Prod. Res. Conf., Melbourne. Topic 2/8.

Beesley, J. (1977). The status of Divisional pole tests. Proc. 18th For. Prod. Res. Conf., Melbourne. Topic 2/13.

Beesley, J. and Rumball, B.L. (1977). Observations on the decay resistance of the impermeable heartwood of C.C.A.-treated radiata pine. CSIRO DBR Technical Paper (second series) No. 12.

Beesley, J. and Thornton, J.D. (1977). Is there a future for wood preservative testing in Australia? In: Timber Preservation '77, a report of the activities of the Timber Preserver's Association of Australia for the year 1976-1977, 5 pp.

Beesley, J. and Thornton, J.D. (1977). Is there a future for preservative testing in Australia? Proceedings 18th Forest Products Research Conference, Melbourne (Topic 2/7), 5 pp.

Bowers, E.A. (1977). Pressure treatment characteristics of 142 commercially important timbers from the South-west pacific region. CSIRO DBR Technical Paper (second series) No. 13.

Creffield, J.W. and Howick, C.D. (1977). Preliminary information on the susceptibility of some Australian timbers to the European house borer *Hylotrupes bajulus* (L.). Proc. 18th Forest Prod. Res. Conf., Topic 2/29, 1-4.

Creffield, J.W. and Howick, C.D. (1977). Laboratory culture and maintenance of *Heterobostrychus aequalis* (Waterhouse). Proc. 18th Forest Prod. Res. Conf., Topic 2/30, 1-3.

Da Costa, E.W.B. (1977). Butt encapsulation in pole preservation. Proc. 18th For. Prod. Res. Conf., Melbourne. Topic 2/17.

Dale, F.A. (1977). A butt-boring machine for poles. Proc. 18th For. Prod. Res. Conf., Melbourne. Topic 2/16.

Dale, F.A. (1977). Preservation of exposed glulam pine beams. Proc. 18th For. Prod. Res. Conf., Melbourne. Topic 2/19.

De Silva, D. Hillis, W.E. and Groves, K. (1977). Components in wood associated with marine durability. Proc. 18th For. Prod. Res. Conf., Melbourne. Topic 2/6/1, 1 pp.

Elliott, H.J., Kile, G. and French, J.R.J. (1977). The role of pin hole borers in myrtle beech dieback in Tasmania. Proc. 18th For. Prod. Res. Conf., Melbourne. Topic 2/32.

French, J.R.J. (1977). Resume of environmental research conducted at the Division of Building Research, Highett. First Aust. workshop on environmental studies. Cowes, Vic. 24-28 Oct, 1977. 12pp.

French, J.R.J. (1977). Advocating a systems approach to forest insect pest management. Inst. Foresters Aust. Conf., Adelaide, 12 pp.

French, J.R.J. and Robinson, P.J. (1977) - Feeding inhibition of *Mastotermes darwiniensis* Froggatt (Isoptera) on JHA surface-treated plywood blocks. Z. ang Entomol. <u>85</u>: 360-364.

French, J.R.J. and Robinson, P.J. (1977). Toilet rolls to detect subterranean termites. 18th For. Prod. Res. Conf., Melbourne, Topic 2/26.

French, J.R.J. and Robinson, P.J. (1977). Effect of a juvenile hormone analogue in a veneer glue-line on *Mastotermes darwiniensis*. 18th For. Prod. Res. Conf., Melbourne. Topic 2/31.

French, J.R.J., Robinson, P.J., Yazaki, Y. and Hillis, W.E. (1977). Termite bioassays of wood extracts from cypress pine. 18th For. Prod. Res. Conf., Melbourne. Topic 2/27.

French, J.R.J., Rosel, A. and Robinson, P.J. (1977) - Pheromone baited traps in detecting the elm bark beetle. Aust. For. 40: 56-62.

Elliott, H.J., Kile, G. and French, J.R.J. (1977). The role of pine hole borers in myrtle beech dieback in Tasmania. 18th For. Prod. Res. Conf., Melbourne. Topic 2/32.

Galpin, M.F.J., Jennings, D.H. and Thornton, J.D. (1977). Hyphal branching in *Dendryphiella salina*: effect of various compounds and the further elucidation of the effect of sorbose and the role of cyclic AMP. Transactions of the British Mycological Society 69, 175-182.

Greaves, H. (1977). An illustrated comment on the soft rot problem in Australia and Papua New Guinea. Holzforschung 31(5), 71-79. And IRG/WP/296.

Greaves, H. (1977). Soft rot in Australia and Papua New Guinea. 18th For. Prod. Res. Conf. Topic 2/10, 5pp.

Greaves, H. (1977). Progress towards controlling soft rot in treated hardwood poles. 18th For. Prod. Res. Conf., Topic 2/11, 7pp. And IRG/WP/289.

Greaves, H. (1977). Potential toxicants for controlling soft rot in preservative treated hardwoods. I Laboratory screening tests using filter paper. Mat. u. Organismen 12(1), 1-15. And as IRG Document IRG/WP/290.

Greaves, H. (1977). Potential toxicants for controlling soft rot in preservative treated hardwoods. III A compost-block test of eight formulations. Mat. u. Organismen 12(4), 287-299.

Greaves, H. (1977). Progress towards controlling soft rot of treated hardwood poles in Australia. 9th Annual Meeting Internat. Res. Group on Wood Pres. Document No. IRG/WP/289.

Howick, C.D. (1977). The development of termite disasters. 4<sup>th</sup> Aust. National Pest Control Conf. Sept, Paper No. 11: 1-6.

Howick, C.D. (1977). Pest control operator training – the European scene. 4<sup>th</sup> Aust. National Pest Control Conf. Sept, Paper No. 72: 1-8.

Howick, C.D. and Creffield, J.W. (1977). Laboratory studies of the termiticidal effectiveness of chlorpyrifos. Proc. 18th Forest Prod. Res. Conf., Topic 2/28, 1-5.

Johanson, R. (1977). Should we make poles last 100 years? Proc. 18th For. Prod. Res. Conf., Melbourne. Topic 2/9.

Thornton, J.D. (1977). Mushroom production from wood waste. Proceedings 18th Forest Products Research Conference, Melbourne (Topic 2/23), 3 pp.

Thornton, J.D. (1977). Potential toxicants for controlling soft rot in preservative-treated hardwoods. II. Laboratory screening tests using sawdust. Material und Organismen 12, 201-210.

Thornton, J.D., Robinson, P.J. and French, J.R.J. (1977). Toxicity of aliphatic acids. I. Against soft rot microorganisms and *Gloeophyllum trabeum*. International Biodeterioration Bulletin 13, 108-111.

Barnacle, J.E. (1978). A proposed simple method for preserving round, freshly felled softwood fence posts in creosote oil. IUFRO meeting on wood protection, Xalapa, Mexico, 17 pp.

Beesley, J. (1978). IRG/COIPM International marine test. Progress report 2. Report of treatment and installation in Australia. IRG/WP/440.

Beesley, J. and Greaves, H. (1978). Domestic wood preservation - Remedial treatments in Australia. 10th Ann. Meeting Internat. Res. Group on Wood Pres. Document No. IRG/WP/3128.

Creffield, J.W., Dale, F.A. and Lowe, H.W.G. (1978). Protection of sleepers against *Mastotermes darwiniensis* (The Giant Northern Termite). Rail Track 2(2), 24-28.

Da Costa, E.W.B. (1978). Laboratory evaluation of diffusing wood preservatives. Int. Biodeterior. Bull. 14: 37-45.

Dale, F.A., Greaves, H. and Thornton, J.D. (1978). A preservative bandage for the protection of wooden transmission poles. Aust. Patent No. 517086.

French, J.R.J. (1978) - Forest insect pest management - a systems approach. Search. 9: 82-86.

French, J.R.J. (1978) - Termite-fungi interactions. I. Preliminary laboratory screening of wood decayed blocks to *Coptotermes acinaciformis, Mastotermes darwiniensis* and *Nasutitermes exitiosus*. Material u. Organismen. 13: 207-221.

French, J.R.J. and McKenzie, W.M. (1978). Problems facing the development of urban forestry in Australia. Paper presented to 8th World Forestry Congress, Jakarta, Oct.

French, J.R.J., P.J. Robinson, J.W. Creffield and C.D.Howick (1978) - Effects of hydroprene on the feeding activity of *Mastotermes darwiniensis* Froggatt (Isoptera). Z. ang. Entomol. 87: 239-246.

Greaves, H. (1978). Preliminary screening of diffusion formulations for the control of soft rot. 10th Ann. Meeting Internat. Res. Group on Wood Pres., Document No. IRG/WP/2113, paper 12.

Greaves, H. and Levy, J.F. (1978). Penetration and distribution of copper-chrome-arsenic preservatives in selected wood species. 1. Influence of gross anatomy on penetration, as determined by X-ray microanalysis. Holzforschung 32: 200-208.

Levy, J.F. and Greaves, H. (1978). Penetration and distribution of copper-chrome-arsenic preservatives in selected wood species. 2. Detailed microanalysis of vessels, rays and fibres. Holzforschung 32: 208-213.

McCarthy, D. (1978). Ethanolamine et al based wood preservative compositions. Australian Patent Appl. No. 35221/78.

Roeper, R.A. and French, J.R.J. (1978). Observations on *Monarthrum dentiger* (Coleoptera: Scolytidae) and its primary symbiotic fungus, *Ambrosiella brunnea* (Fungi Imperfecti) in California. Pan-Pacific Entomol. 54: 68-69.

Tam, M.K. and Thornton, J.D. (1978). Mass loss and moisture content changes in CCA and PCP-treated *Dyera costulata* (Jelutong) following inoculation with the brown-rot fungus *Gloeophyllum trabeum*. Malaysian Forester 41, 346-357.

Thornton, J.D. and Greaves, H. (1978). Current techniques for screening initial formulations against Basidiomycetes and soft rot. International Research Group on Wood Preservation. In: Screening techniques for potential wood preservative chemicals. Working Group II Fundamentals of Testing. IRG Document No. IRG/WP/2133, 14 pp.

Barnacle, J.E. and Weatherhead, T.F. (1979). Pressure treated and untreated hardwood rail sleepers - some performance data from wet tropical Australia. Proc. third International Rail Sleeper Conference, Brisbane.

Beesley, J. (1979). Progress with IRG co-operative marine/field tests. Proc. 19th For. Prod. Res. Conf., Melbourne. Topic 3/8.

Beesley, J. (1979). IRG/COIPM International marine test. Progress report 4. Report of second inspection (12 months) in Australia. IRG/WP/448.

Chin, C.W. (1979). Pressure treated *Pinus radiata* sleepers after more than 20 years in southern Australia. Third International Rail Sleeper Conference, Brisbane, Session 5 – No. 4., 16 pp..

Creffield, J.W. (1979). The use of X-rays in studies of drywood termites (Isoptera: Kalotermitidae). J. Inst. Wood Sci. 8(3), 100-104.

Creffield, J.W. and Howick, C.D. (1979). A note on laboratory culture and maintenance of *Heterobostrychus aequalis* (Waterhouse) (Coleoptera: Bostrychidae). J. Aust. Entomol. Soc. 18, 137-139.

Creffield, J.W. and Tam, M.K. (1979). Laboratory assessments of the efficacy of CCA and PCP-treated *Dyera costulata* (Jelutong) against two species of Australian termites. Malay. Forester 42(3), 230-239.

Da Costa, E.W.B. and Collett, O. (1979). Potential toxicants for controlling soft rot in preservative treated hardwoods. IV. Evaluation of combined diffusion and toxicity. Mater. Org. 14: 131-140.

French, J.R.J., Robinson, P.J. and Bartlett, N. (1979). Field assessment of termite feeding preferences using toilet-roll and small wood-block baits. Topic 3/10. pp. 8. 19th For. Prod.Res. Conf., Highett. 12-16 November, 1979.

French, J.R.J., Robinson, P.J., Creffield, J.W. and Howick, C.D. (1979). Effects of Hydroprene on the feeding activity of *Mastotermes darwiniensis* Froggatt (Isoptera). Z. Angew. Entomol. 87(3), 239-246.

French, J.R.J., Robinson, P.J. and Thornton, J.D. (1979). Termite-fungi interaction response of *Coptotermes acinaciformis* to fungal decayed softwood blocks. Proceedings 19th Forest Products Conference, Melbourne (Topic 3/11), 7 pp.

French, J.R.J., Robinson, P.J., Yazaki, Y. and Hillis, W.E. (1979) - Bioassays of extracts from white cypress pine (*Callitris columellaris* F. Muell.) against subterranean termites. Holzforschung <u>33</u>: 144-148.

Greaves, H. (1979). The natural durability of various Australian wood pole species to soft rotting microfungi. Internat. J. Wood Pres. 1(1),15-20.

Greaves, H. (1979). Bandages as ground-line maintenance treatments for poles. 19th For. Prod. Res. Conf. Topic 3/1, 10 pp.

Howick, C.D. and Creffield, J.W. (1979). A comparison of three species of *Nasutitermes* (Isoptera: Termitidae) as termites for laboratory bioassays. Int. Biodeterior. Bull. 15(3), 105-112.

Howick, C.D. and Creffield, J.W. (1979). Synthetic pyrethroids and wood preservation. Proc. 19th Forest Prod. Res. Conf., Topic 3/12, 1-5.

Howick, C.D. and Creffield, J.W. (1979). Drywood termites in Australia. Proc. 19th Forest Prod. Res. Conf., Topic 3/13, 1-3.

Tamblyn, N. and Rosel, A. (1979). Comparative tests of sprays and dip-diffusion treatments for protection of eucalypt building timbers against Lyctus borers. Wood Preservation 1 (1): ?????

Thornton, J.D. (1979). Decay of the Australian house-flooring timbers *Pinus radiata* D. Don and *Eucalyptus regnans* F. Muell. by the dry rot fungus *Serpula lacrymans* Gray. Australian Forest Research 9(2), 137-142.

Thornton, J.D. (1979). Detection of decay in wood using a pulsed-current resistance meter (Shigometer). I. Laboratory tests of the progression of decay of *Pinus radiata* D. Don sapwood by *Poria monticola* Murr. and *Fomes lividus* (Kalch.) Sacc. Material und Organismen 14(1), 15-26.

Thornton, J.D. and Collett, O. (1979). A laboratory test to determine potential uses of fungicides against *Serpula lacrymans* Gray. Wood Preservation 1(1), 21-25.

Thornton, J.D. (1979). Evaluation of a new laboratory decay technique using *Serpula lacrymans*. International Biodeterioration Bulletin 15(2), 45-48.

Thornton, J.D., Seaman, W.E. and McKiterick, M. (1979). Evaluation of the pulsed-current resistance meter (Shigometer) for determination of the internal condition of utility poles. Proceedings 19th Forest Products Conference, Melbourne (Topic 3/6), 13 pp. Also published as the International Research Group on Wood Preservation, Working Group II Fundamentals of Testing. Document No. IRG/WP/2128, 13 pp.

Thornton, J.D. (1979). Detection of decay in wood using a pulsed-current resistance meter (Shigometer). II. Laboratory tests of the progression of decay of *Dyera costulata* Hk. f. by *Gloeophyllum trabeum* (Pers. ex. Fr.) Murr. Material und Organismen 14(3), 193-204.

Thornton, J.D. (1979). Fungus decay means costly renovations. Rebuild 4(1), 5.

Yazaki, Y. and Hillis, W.E. (1979). Substances from Gamaphyllum falcatum wood with termiticidal properties. Proc. 19th For. Prod. Res. Conf., Melbourne. Topic 3/14.

Barnacle, J.E. and Beesley, J. (1980). A test of pole treatments in dry, tropical Queensland after 21 years. Proc. Electrical Supply Authorities of Australia (ESAA) Pole Symposium, Brisbane.

Barnacle, J.E. and Weatherhead, T.F. (1980). Pressure treated and untreated hardwood rail sleepers - some performance data from wet tropical Australia. Rail Track Journal (New Series) No. 2. (same as 1979 article).

Beesley, J. (1980). IRG/COIPM International marine test. Progress report 6. Report of third inspection (24 months) in Australia. IRG/WP/456.

Collett, O. (1980). Preliminary studies on cellulase production by selected basidiomycetes and the effect of copper-chrome-arsenate on these enzymes. Internat. Res. Group on Wood Pres. Document No. IRG/WP/1122.

Cookson, L.J. and New, T.R. (1980). Observations on the biology of *Sextius virescens* (Fairmaire) (Homoptera, Membracidae) on *Acacia* in Victoria. Aust. ent. Mag. 7: 4-10. (before CSIRO).

Creffield, J.W. and Beesley, J. (1980). Use of X-rays for monitoring decay in timber panels. Forest Prod. J. 30(6), 48-51.

Dale, F.A. (1980). Upgrading the treated sleeper. Aust. For. Industries J & Australian Logger 45: 13-14.

De Silva, D. and Hillis, W.E. (1980). The contribution of silica to the resistance of wood to marine borers. Holzforschung 34: 95-97.

French, J.R.J. (1980). Australian forest policy - a critical viewpoint. Current Affairs Bulletin. <u>57(5)</u>: 4-16.

French, J.R.J. (1980). Towards alternative forest management practices in Australia. Paper presented as Keynote address to AGM to Nature Conservation Council, Sydney. 40 pp.

French, J.R.J. (1980). Urban forest management in Australia. Paper prepared for the 11th Commonwealth Forestry Conference, Tobago, Sept. 1980. pp. 31.

French, J.R.J. (1980). Urban forests for improving air quality. In - Air pollution: implications for building and urban planning. CSIRO Div. Bldg. Res. ISBN 0 643 02721 1. pp. 77-89.

French, J.R.J. and Robinson, P.J. (1980). Field baiting of some Australian subterranean termites. Z. ang. Entomol. 90: 444-449.

Greaves, H. (1980). Wood preservation research in Australia. Ann. Meeting Amer. Wood Pres. Assoc. April, 154-168.

Greaves, H. (1980). Selected areas of current Australian research in wood preservation. Rec. Ann. Conv. Brit. Wood Pres. Assoc., June, 3-12.

Greaves, H. (1980). Current technology for wood preservation in Australia. 11th Comm. For. Conf., Sept. 1980 and Commonwealth For. Rev. 59(3), 337-348.

Greaves, H., Chin, C.W. and McEvoy, C.N. (1980). Development of fungitoxic bandages for the groundline maintenance treatment of soft rot in hardwood poles. Elec. Supply Assoc. Aust., Pole Symposium, April. (E.S.A.A), Surfers Paradise.

Howick, C.D. and Creffield, J.W. (1980). Intraspecific antagonism in *Coptotermes acinaciformis* (Froggatt) (Isoptera: Rhinotermitidae). Bull. Entomol. Res. 70, 17-23.

Thornton, J.D. (1980). Ecology of dry rot fungus *Serpula lacrymans* in the buildings of Melbourne. Poster paper presented at 2nd International Microbiology Symposium, Coventry (U.K.) Sept 7-12th, 1980 (Abstract in proceedings).

Thornton, J.D., Creffield, J.W. and Collett, O. (1980). On the laboratory use of X-rays in timber decay evaluations. The International Research Group on Wood Preservation, Working Group II Fundamentals of Testing. Document No. IRG/WP/2144, 7 pp.

Ampong, K. and Chin, C.W. (1981). Preliminary investigation into the treatment of messmate (Eucalyptus obliqua L. Herit.) by a modified form of double-diffusion. 20th Forest Prod. Res. Conf., Melbourne, Topic WP11.

Barnacle, J.E., Chin, C.W. and Costolloe, J.P. (1981). Performance of wood sleepers treated with certain oil-type preservatives in Australia rail track. 4th International Rail Track and Sleeper Conference, Adelaide, Session 7(3), No. 5, 20 pp.

Barnacle, J.E., Johnson, G.C., Tighe, M. and Antonovsky, A. (1981). Penetration of creosote into stained karri (*Eucalyptus diversicolor* F. Muell.) heartwood. Proc. 20th For. Prod. Res. Conf., Melbourne, topic WP9.

Beesley, J. (1981). IRG/COIPM International marine test. Progress report 13. Report of fourth inspection (36 months) in Australia. IRG/WP/481.

Beesley, J. and Greaves, H. (1981). Light organic solvent preservatives. CSIRO Div. Build Res. Information Serv. Sheet No. 10-77.

- Chin, C.W. and Barnacle, J.E. (1981). The performance of one-piece pressure treated hardwood and softwood railway sleepers in various Australian states. 20th Forest Prod. Res. Conf., Melbourne, topic WP10.
- Cookson, L.J., Collett, O. and Greaves, H. (1981). Potential toxicants for controlling soft rot in preservative-treated hardwoods. V. Laboratory assessment of some proposed commercial groundline maintenance treatments. Mater. Org. 16: 53-65.
- French, J.R.J. (1981). Role of urban forests in local government engineering programmes. Paper prepared for AGM Aust. Instit. Engineers Conference, Adelaide, August, 1981 pp. 5.
- French, J.R.J. (1981). Role of urban forests in local government engineering programmes. Paper prepared for AGM Aust. Inst. Engineers Conf., Adelaide, Aug. 5 pp.
- French, J.R.J. (1981). Advocating alternatives to present forest management practices in Australia. Paper prepared for Inst. For. Aust. seminar, Melbourne. 50 pp.
- French, J.R.J. (1981). Biocides from tropical rainforest species some results, practical problems and concerns. Topic WP 23 pp. 5. 20th For. Prod.Res.Conf. 16-20 November, 1981.
- French, J.R.J. (1981). The effect on environment of the various forms of land utilisation, example: farming, logging, grazing, etc. Paper prepared for AGM Agric. Bur. NSW, Orange, July. 37 pp.
- French, J.R.J. and Robinson, P.J. (1981). A rapid field assessment of insecticide-treated wood against termites. Topic WP4. pp. 5. 20th For. Prod. Res. Conf. 16-20 November, 1981.
- French, J.R.J. and Robinson, P.J. (1981) Baits for aggregating large numbers of subterranean termites. J. Aust. ent. Soc. 20: 75-76.
- French, J.R.J., Robinson, P.J. and Bartlett, N.R. (1981) A rapid and selective field assessment of termite wood feeding preferences of the subterranean termite *Heterotermes ferox* (Frogg.) using toilet roll and small wood-block baits. Sociobiology. 6(2): 135-151.
- French, J.R.J., Robinson, P.J., Thornton, J.D. and Saunders, I.W. (1981). Termite-fungi interactions. II. Response of *Coptotermes acinaciformis* to fungal-decayed softwood blocks. Mater. Org. 16: 1-14.
- French, J.R.J., Waugham, J. and Jones, K. (1981). (Joint authors). Nitrogen fixation in some terrestrial environments. pp. 134-192. In Nitrogen fixation. Vol. I. Ecology. Broughton, W.J. (ed.), Oxford Univ. Press, Lond., pp. 306.

Greaves, H. (1981). An overview of research and development in wood preservation. Ann. meeting Canadian Wood Preservers Association, Nov., 16 pp.

Greaves, H. (1981). Developments in wood preservation. Proc. 20th For. Prod. Res. Conf., Melbourne, topic H7, 12 pp.

Howick, C.D. (1981). Insecticides for the protection of wooden components of shipping containers. Proc. 20th For. Prod. Res. Conf., Melbourne. Topic WP1.

Howick, C.D. and Creffield, J.W. (1981). Laboratory bioassays to compare the efficacy of chlorpyrifos and dieldrin in protecting wood from termites. Int. Pest Control 23(2), 40-42.

Howick, C.D. and Creffield, J.W. (1981). The influence of maintenance matrix and feeding on subsequent termite bioassays. Z. Angew. Entomol. 91(1), 49-54.

Howick, C.D. and Creffield, J.W. (1981). Further information on the efficacy of some synthetic pyrethroids in wood preservation. Proc. 20th Forest Prod. Res. Conf., Topic WP2, 1-8.

Howick, C.D., Creffield, J.W., Greaves, H. and Butcher, J.A. (1981). Termiticidal efficacy of alkyl ammonium compounds in wood. Proc. 20th Forest Prod. Res. Conf., Topic WP3, 1-4.

McNamara, W.S., Greaves, H. and Triana, F. (1981). Tropical field exposure of CCA-treated eucalypt stakes. Mat. u. Organismen 16(2), 81-94.

Roeper, R.A. and French, J.R.J. (1981) - Growth of the ambrosia fungus *Ambrosiella hartigii* on various nitrogen sources. Mycologia 73: 202-204.

Roeper, R.A. and French, J.R.J. (1981) - Ambrosia fungi of the western United States and Canada - beetle associations (Coleoptera: Scolytidae), tree hosts, and distributions. Northwest Sci. 55: 305-309.

Thornton, J.D. (1981). Before altering the building consider subfloor ventilation. Rebuild 6(6), 2.

Thornton, J.D. (1981). Progress on investigations of the dry rot fungus *Serpula lacrymans* in relation to the renovation and preservation of buildings. Proceedings 20th Forest Products Research Conference, Melbourne (Topic WP7), 4 pp.

Thornton, J.D. and Hergt, H.F.A. (1981). Laboratory assessment of potential preservative for casein-glued framing timbers. Proceedings 20th Forest Products Research Conference, Melbourne (Topic A10), 6 pp.

Thornton, J.D. and Johnson, G.C. (1981). Aspects to consider in evaluating a non-destructive method for testing utility poles. Proceedings 20th Forest Products Research Conference, Melbourne (Topic WP8), 4 pp.

Thornton, J.D., Johnson, G.C. and Saunders, I.W. (1981). Accelerated 'fungal cellar' testing of the natural durability of the heartwood of Australian timbers in ground contact. Proceedings 20th Forest Products Research Conference, Melbourne (Topic WP6), 7 pp.

Thornton, J.D., Seaman, W.G. and McKiterick, M. (1981). Detection of decay in wood using a pulsed-current resistance meter (Shigometer). III. Field testing of creosoted hardwood poles removed from service. Material und Organismen 16(2), 119-131.

Thornton, J.D., Walters, N.E.M. and Saunders, I.W. (1981). A field test of the natural durability of the heartwood of Australian timbers in ground contact. Proceedings 20th Forest Products Research Conference, Melbourne (Topic WP5), 10 pp.

Barnacle, J.E. (about 82). A proposed simple method of preserving round, freshly felled softwood fence posts in crossote oil. Mitteilungen Bundesforschungsanstalt fur Forst-und Holzwirtschaft.

Beesley, J. (1982). IRG/COIPM International marine test. Progress report 14. Report of fifth inspection (48 months) in Australia. IRG/WP/484.

Beesley, J. and Thornton, J.D. (1982). Timber degradation. NCRB/CSIRO Conference on 'Building maintainability and operation efficiency – Research and practice' Melbourne, (ed. F.J. Bromilow) Chapter 5, pp. 54-67.

Butcher, J.A. and Greaves, H. (1982). AAC preservatives. Recent New Zealand and Australian experience. Internat. Res. Group on Wood Pres. Document No. IRG/WP/3188.

Chin, C.W. and Costolloe, J.P. (in press about 82). A service test of pressure-treated hardwood and softwood sleepers in Victoria. Part I - Material, treatment and installation. Rail Track Journal.

Chin, C.W., McEvoy, C.N. and Greaves, H. (1982). The development and installation of experimental fungitoxic pole bandages. The Internat. J. Wood Pres. 2: 55-61.

French, J.R.J. (1982). Termites can be chicken food. Grassroots. <u>32</u>: 50-51.

French, J.R.J. (1982). Effects of hydroprene on nymphs of *Nasutitermes exitiosus* (Hill) (Isoptera: Termitidae). Paper prep. Int. Study workshop on termite caste differentiation, pp. 3. Nairobi, 7-12 November, 1982.

French, J.R.J. (1982). Energy plantations for rural communities - with particular reference to the Hamilton area. Paper prepared for Energy Conf., Hamilton Inst. Rural Skills, Hamilton, Vic. Sept. 38 pp.

French, J.R.J. (1982). Role of urban forestry at the municipal level. Paper prepared for Energy Conf., Hamilton Inst. Rural Skills, Hamilton, Vic. Sept. 21 pp.

- French, J.R.J., Robinson, P.J. and Minko, G. (1982). Gamma irradiating elm billets reduces their attractancy to the smaller elm bark beetle, *Scolytus multistriatus* (Marsham). Z. angew. Ent. <u>94</u>(2): 175-179.
- French, J.R.J., Robinson, P.J., Minko, G. and Pahl, P.J. (1982) Response of the European elm bark beetle *Scolytus multistriatus* to host bacterial isolates. J. Chem. Ecol. <u>10</u>: 1133-1149.
- Greaves, H., Adams, N. and McCarthy, D.F. (1982). Studies of preservative treatments for hardwoods in ground contact. I. Penetration of cell walls by formulations containing copper. Holzforschung 36: 225-231.
- Greaves, H. and Nilsson, T. (1982). Soft rot and the microdistribution of water-borne preservatives in three species of hardwoods following field test exposure. Holzforschung 36: 207-213.
- Greaves, H, McCarthy, R. and Cookson, L.J. (1982). An accelerated field simulator trial of fused preservative rods. Internat. J. Wood Pres. 2: 69-76.
- Greaves, H., Tighe, M.A. and McCarthy, D.F. (1982). Laboratory tests of light organic solvent preservatives for use in Australia. 1. Evaluation of candidate fungicides, including some commercial formulations. Internat. J. Wood Pres. 2(1), 21-27.
- Howick, C.D., Creffield, J.W., Butcher, J.A. and Greaves, H. (1982). The termiticidal efficacy of a quaternary ammonium compound and a tertiary amine salt in wood protection. Mat. u. Organismen 17(2), 81-92.
- Johnson, G.C. and Heather, W.A. (1982). Stimulation of oospore production in *Phytopthora cinnamomi* by *Trichoderma* species isolated from eucalyptus roots. Aust. Plant Pathology 11: 1-2.
- Johnson, G.C., Thornton, J.D. and Greaves, H. (1982). The accelerated field simulator (=fungal cellar). Internat. Res. Group on Wood Pres. Document No. IRG/WP/2170.
- McCarthy, D. (1982). Development of a new generation wood preservative. CSIRO DCT Research Review, pp 41-46.
- McCarthy, R., Chin, C.W. and Greaves, H. (1982). Above ground exposure test of preservative treatments and surface coatings for timber. Architectural Science Review 25: 1-9.
- Thornton, J.D. (1982). Recent occurrences of the dry rot fungus, *Serpula lacrymans*, in Australia. Transactions of the British Mycological Society 79(3), 552-554.
- Barnacle, J.E. (1983). Observations on the uptake and penetration of various liquids in clear heartwood and sapwood of *Pinus radiata* D. Don. Internat. Res. Group on Wood Pres. Document No. IRG/WP/3224.

Barnacle, J.E. and Ampong, F.F.K. (1983). Observations on the effect of two preservatives on settlement and development of the marine wood-borer Martesia striata L. Internat. Res. Group on Wood Pres. Document No. IRG/WP/498.

Barnacle, J.E., Cookson, L.J. and McEvoy, C.N. (1983). *Limnoria quadripunctata* Holthuis - a threat to copper-treated wood. Internat. Res. Group on Wood Pres. Document No. IRG/WP/4100.

Barnacle, J.E., Johnson, G.C. and Tighe, M.A. (1983). Soft rot in heartwood of preservative-treated pole stubs of *Eucalyptus cypellocarpa* L. Johnson. Internat. Res. Group on Wood Pres. Document No. IRG/WP/1204.

Beesley, J., Creffield, J.W. and Saunders, I.W. (1983). An Australian test for decay in painted timbers exposed to the weather. Forest Prod. J. 33(5), 57-63.

Chin, C.W., Watkins, J.B. and Greaves, H. (1983). Clean creosote - its development and comparison with conventional high temperature creosote. 14th Ann. Meeting Internat. Res. Group on Wood Pres., Document No. IRG/WP/3235.

Cookson, L.J. and Barnacle, J.E. (1983). IRG/COIPM international marine test. Report of sixth inspection (60 months) in Australia. Internat. Res. Group on Wood Pres. Document No. IRG/WP/499.

Cookson, L.J. (1983). The role of lignin in the nutrition of several Australian termites. Internat. Res. Group on Wood Pres. Document No. IRG/WP/1191.

Creffield, J.W., Greaves, H. and Howick, C.D. (1983). Boracol 40 - a potential remedial and preventative treatment for lyctids. The Internat. Res. Group on Wood Pres. Document No. IRG/WP/1192.

French, J.R.J. (1983). Planning for urban forestry at the municipal level. Urban Policy and Research. <u>1</u>: 11-15.

French, J.R.J. (1983). The environmental challenge to forestry revisited. Proc. Inst.For. Aust. Triennial Meeting, Melbourne, pp. 17.

French, J.R.J. (1983). Urban forestry - Needs and demands for education. Paper, 56th Nat. Conf. Roy. Aust. Inst. Parks & Rec., La Trobe Univ. Bundoora, Vic. pp. 6.

French, J.R.J. (1983). A preliminary assessment of the costs of termite activity in Australia: a discussion paper. 14th IRG Meeting, Surfers Paradise, Australia, Doc. No. IRG/WP/3247. 6 pp. (or No. 1207?)

French, J.R.J. and McKenzie, W.M. (1983). Problems facing urban forestry in Australia. Aust. Parks & Recreation. May. :25-33.

French, J.R.J. and Robinson, P.J. (1983). Baiting techniques for subterranean termite control. pp. 4. 14th IRG Meeting Surfers Paradise, 9-13 May, 1983, Document No. IRG/WP/1205.

French, J.R.J., Robinson, P.J. and Creffield, J.W. (1983). Bioassays of extracts from scaly ash (*Ganophyllum falcatum* Bl) against the subterranean termite *Coptotermes acinaciformis* (Froggatt) pp. 9. 14th IRG Meeting Surfers Paradise, 9-13 May, 1983. Document No. IRG/WP/1206.

Greaves, H. (1983). The preservation of wood based panels. FAO Tech. Consultation on Wood Based Panels for Asia-Pacific Region, New Delhi, 13-17 Jan., 14 pp. FO:WBP/AP/893/12.

Greaves, H. (1983). Research and development for the preservation of hardwood poles. Paper prepared for Symposium on Wood Preservation, CSIR, Pretoria, S. Africa, March.

Greaves, H. (1983). Wood stabilisation and preservation. In: Forestry and Forest Products: Research Present and Future. CSIRO Exec. Sem., Yarralumla, ACT, Nov. 1983, 81-97.

Howick, C.D. and Creffield, J.W. (1983). Intraspecific variability in feeding capacity of *Coptotermes acinaciformis* (Froggatt) (Isoptera: Rhinotermitidae). Internat. Research Group on Wood Preserv. Working Group I, Sub-group 4, Document No. IRG/WP/1175.

Howick, C.D. and Creffield, J.W. (1983). A rapid field bioassay technique with subterranean termites. Internat. Research Group on Wood Preserv. Working Group I, Sub-group 4, Document No. IRG/WP/1188.

Howick, C.D., Creffield, J.W. and Burridge, P.R. (1983). A selective-choice laboratory bioassay technique with *Nasutitermes exitiosus* (Hill) (Isoptera: Termitidae). Internat. Research Group on Wood Preserv. Working Group I, Subgroup 4, Document No. IRG/WP/1176.

Johnson, G.C., Thornton, J.D., Creffield, J.W. and Howick, C.D. (1983). Natural durability studies in an accelerated field simulator - A novel approach. The International Research Group on Wood Preservation, Working Group II Fundamentals of Testing. Document No. IRG/WP/2197, 7 pp.

Lenz, M., Howick, C.D., Tamblyn, N., Creffield, J.W. and Westcott, M. (1983). Correlation between different international standard assessment procedures with termites. I. Field exposure. Internat. Research Group on Wood Preserv. Working Group I, Sub-group 4, Document No. IRG/WP/1198.

Thornton, J.D. (1983). Progress on investigations of the true dry rot fungus *Serpula lacrymans* in relation to the renovation and preservation of buildings. BWPA News Sheet No. 171, 1-2.

Thornton, J.D. and Collett, O. (1983). The growth and behaviour of Australian isolates of dry rot fungi, mainly *Serpula lacrymans* (Schum. ex Fr.) S.F. Gray. A comparison with the world literature. The International Research Group on Wood

Preservation, Working Group I Biological Problems. Document No. IRG/WP/1190, 21 pp.

Thornton, J.D., Johnson, G.C. and Saunders, I.W. (1983). An in-ground natural durability field test of Australian timbers and exotic reference species. II. Progress report after approximately 13 years' exposure. The International Research Group on Wood Preservation, Working Group I Biological Problems. Document No. IRG/WP/1189, 13 pp.

Thornton, J.D., Walters, N.E.M. and Saunders, I.W. (1983). A natural durability field test of Australian timbers and exotic reference species. I. Progress report after more than 10 years' exposure. Material und Organismen 18(1), 27-49.

Watkins, J.B., Greaves, H. and Chin, C.W. (1983). Preservative Compositions (=PEC).

Aust. Patent No. 570984.

South African Patent No. 84/4593 (1985).

Canadian Patent No. 1223682 (1987).

New Zealand Patent No. 208512.

European Patent No. 0149625 (1990).

Finland Patent No. 80061 (1990).

South Korea Patent No. 35858. (1990).

Denmark Patent No. 160080 (1991).

Norway Patent No. 167719.(1991).

USA Patent No. 5098472 (1992).

Thailand Patent No. 3064 (1992).

Ampong, F.F.K., McEvoy, C. and McCarthy, K. (1984). Development of diffusible pastes for control of centre rot. 21st For. Prod. Res. Conf. Vol. 1, B4, 9 pp.

Anonymous (1984). Clean creosote. CSIRO Industrial Research News. No. 162: 1-2.

Bell, A. (Ecos journalist) (1984). A pole preserved, a tree saved. Ecos, No. 40: 23-27.

Chin, C.W. and Costolloe, J.P. (1984). A service test of pressure-treated hardwood and softwood rail sleepers in Victoria. Part 1. Material, treatment and installation. CSIRO CWT Technical Paper No. 1, 19 pp.

Chin, C.W., McEvoy, C. and McCarthy, K. (1984). The effect of multiple treatments on the solution stability of commercial CCA preservative – a quality control problem? 21<sup>st</sup> For. Prod. Res. Conf., topic B3, 7 pp.

Chin, C.W., Watkins, J.B. and Greaves, H. (1984). Pigment emulsified creosote - an alternative to high temperature creosote. 21st For. Prod. Res. Conf., Topic B1, 8 pp.

Collett, O. (1984). The effect of copper, arsenic and chromium on the cellulolytic enzymes of brown-rot fungus *Gloeophyllum trabeum*, grown on *Pinus radiata* sapwood shavings. Proc. 21st Forest Prod. Res. Conf., Topic B6, 1-14.

Collett, O. (1984). Variation in the cellulolytic activity among isolates of the woodrotting fungus *Gloeophyllum trabeum* (Pers. ex Fr.) Murr. Mater. Org. 19: 119-131.

Cookson, L.J. and Barnacle, J.E. (1984). IRG/COIPM international marine test. Report of seventh inspection (72 months) in Australia. Internat. Res. Group on Wood Pres. Document No. IRG/WP/4108.

Cookson, L.J. (1984). Deterioration of marine timber piled structures by fungi, termites and crustacean marine borers. Workshop on Marine Timber Piled Structures, Normanby House, Monash University.

Cookson, L.J., Greaves, H. and Pahl, P.J. (1984). A laboratory bioassay of various creosotes including PECC-18. 21st For. Prod. Res. Conf. held at CSIRO, Clayton.

Cookson, L.J. and Barnacle, J.E. (1984). The occurrence of *Limnoria* in Australia. 21st For. Prod. Res. Conf. held at CSIRO, Clayton.

Cookson, L.J. (1984). The influence of laboratory maintenance on lignin degradation by *Nasutitermes exitiosus* (Hill). 21st For. Prod. Conf. held at CSIRO, Clayton.

Creffield, J.W. and Howick, C.D. (1984). Comparison of permethrin and fenvalerate as termiticides and their significance to Australian Quarantine Regulations. Internat. Research Group on Wood Preserv. Working Group 1, Sub-group 4, Document No. IRG/WP/1230.

Creffield, J.W. and Howick, C.D. (1984). Termiticidal effectiveness of permethrin and fenvalerate - Quarantine implications. Proc. 21st Forest Prod. Res. Conf., Topic B21, 1-12.

Dale, F.A. (1984). Round timber. In 'Eucalypts for Wood Production', eds W.E. Hillis and A.G. Brown. CSIRO Academic Press. Chapter 17: 337-342.

French, J.R.J. (1984) - Renewable resources. pp. 148-168. Chapt. 7. In - Populate or perish? The stresses of population growth in Australia. Birrell, R., Hill, D. and Nevill, J. (eds.). Fontana/ACF, Sydney, 363 pp.

French, J.R.J. (1984). Forest products from urban forests revisited. 21st For. Prod. Res.Conf., Melb. G22, 9 pp.

French, J.R.J. and Robinson, P.J. (1984). Baiting techniques for termite control. 21st For. Prod. Res. Conf., Melb. B22, 9 pp.

French, J.R.J. and Robinson, P.J. (1984). A method for screening termite baits using *Coptotermes lacteus* mounds. 15th Meeting IRG, Ronneby, Sweden, 28 May-1 June 1984. Document No. IRG/WP/1237, 6 pp.

French, J.R.J., Robinson, P.J., Turner, G.L. and Pahl, P.J. (1984). Changes in fat and moisture contents, and nitrogen fixation in laboratory maintained termites. 15th IRG Meeting Ronneby, Sweden, 28 May-1 June 1984. Document No. IRG/WP/1242, 8 pp.

Greaves, H. (1984). A comment on problem orientated research for the preservation industry. 15th Ann. Meeting Internat. Res. Group on Wood Pres., Doc. No. IRG/WP/3303.

Greaves. H. (1984). Wood preservation in Australia. Swedish Nat. Board for Tech. Development. STU information no. 438-1984, 63 pp.

Greaves, H. (1984). Biodeterioration and chemical treatment of wood - an overview of current and future activities. 21st For. Prod. Res. Conf., 18 pp.

Greaves, H., Chin, C.W. and McEvoy, C. (1984). The performance of CSIRO fungitoxic pole bandages after 5 years in service. 21st For. Prod. Res. Conf., Topic B26, 7 pp.

Greaves, H., Chin, C.W. and Watkins, J.B. (1984). Further progress towards a cleaner creosote treatment - summarised report. 15th Ann. Meeting Internat. Res. Group on Wood Pres., Doc. No. IRG/WP/3304.

Greaves, H. and McCarthy, K.J. (1984). Inspection and maintenance procedures for ground-line defects in wooden poles In: Ramakrishnan G. (Ed.) Proc. Symp. on Maintenance Management, Trends and Practices in the Electric Power Industry. Darling Downs Inst. Advanced Education, Toowoomba, October 11-12, p. 62-81.

Greaves, H. and McEvoy, C. (1984). Soft rot in transmission poles treated with high retentions of CCA. 21st For. Prod. Res. Conf., Topic B13, 8 pp.

Jennings, D.H. and Thornton, J.D. (1984). Carbohydrate metabolism in the fungus *Dendryphiella salina*. VII. The effect of L-sorbose on ethanol-soluble carbohydrate. New Phytologist 98, 399-403.

Johnson, G.C. and Thornton, J.D. (1984). IRG test of preservative-treated hardwoods with particular reference to soft rot. Report on condition of specimens installed in Victoria, Australia. Internat. Res. Group Wood Pres. Document No. IRG/WP/3318.

Johnson, G.C., Creffield, J.W., Burridge, P.R., Tighe, M.A., Howick, C.D., Palmer, R.E. and Collins, P.J. (1984). The manufacture and assessment of preservative-treated plywood for above-ground use. Proc. 21st Forest Prod. Res. Conf., Topic B2, 1-9.

McCarthy, D., Syers, T. and McEvoy, C. (1984). Chemical modifications of wood to improve the toxicity of CCA preservatives. Proc. 21st Forest Prod. Res. Conf., Topic B5, 1-10.

Robinson, P.J. and French, J.R.J. (1984). Bee-keeping and wood preservation in Australia. 21st For. Prod.Res.Conf., Melb. B12, 7 pp.

Tamblyn, N. (1984). Preservation and preserved wood. In 'Eucalypts for Wood Production', eds W.E. Hillis and A.G. Brown. CSIRO Academic Press. Chapter 18: 343-352.

Tighe, M.A., Johnson, G.C. and Macauley, B.J. (1984). Edible mushroom production using composted sawdust. Proc. 21<sup>st</sup> For. Prod. Res. Conf., Topic B17, 6 pp.

Thornton, J.D. (1984). The survival of *Serpula lacrymans* in Australian buildings. Material und Organismen 19(3), 161-174.

Thornton, J.D. (1984). Why the world's most famous wood-destroying fungus works fastest in Australia. Proceedings 21st Forest Products Research Conference, Melbourne (Topic B14), 5 pp.

Thornton, J.D. and Johnson, G.C. (1984). The Australian test of the in-ground durability of heartwood - its aims, current status, limitations and potential. Proceedings 21st Forest Products Research Conference, Melbourne (Topic B27), 12 pp.

Wazny, J. and Greaves, H. (1984). A comparison of fungal strains used in the bioassay of wood preservatives. 15th Ann. Meeting Internat. Res. Group on Wood Pres., Doc. No. IRG/WP/2220.

Beesley, J. (1985). Durability of timber. In 'Timber engineering for developing countries' UN ID)/10.608. pp 3-104.

Beesley, J. (1985). Agencies of deterioration of timber. Timber Bridges Seminar, Monash University, Nov. 6-8, 1985, Paper 8.1, 11 pp.

Chin, C.-W. and Costolloe, J. (1985). Treatment and service performance of Jarrah, Karri and Marri railway sleepers in the South-west of Western Australia after 25 and 26 years. CSIRO Div Chem. Wood Technol. Technical Paper No. 3, 29 pp.

Cookson, L.J. and Barnacle, J.E. (1985). IRG/COIPM international marine test. Report of eighth inspection (7 years) in Australia. Internat. Res. Group on Wood. Pres. Document No. IRG/WP/4119.

Creffield, J.W., Howick, C.D. and Pahl, P.J. (1985). Comparative wood consumption within and between mounds of *Coptotermes acinaciformis* (Froggatt) (Isoptera: Rhinotermitidae). Sociobiology 11(1), 77-86.

French, J.R.J., Fryer, J. and Crane, W.J.B. (1985) - Trees in and near towns. Chapt. 6. In - Think trees, grow trees. Aust. Govt. Publ. Serv. Canberra.

French, J.R.J. and Robinson, P.J. (1985) - A technique used on mounds of *Coptotermes lacteus* to screen potential bait substrates. J. Aust. ent. Soc. <u>24</u>: 111-112.

French, J.R.J. and Robinson, P.J. (1985). The development of a field testing technique using *Coptotermes lacteus* mounds in Australia. 16th Meeting IRG, Brazil, 12-17 May 1985. Document No. IRG/WP/1270, 4 pp.

Greaves, H. (1985). CCA-treated timber. Facts, figures and comments on health and safety in use. For. Prod. Newsletter, New Series No. 1: 1-4.

Greaves, H. (1985). 1. Agencies affecting the performance of timber: the biological, chemical and physical factors.

- 2. An outline of some wood preservation processes.
- 3. Chemicals used in wood preservation.
- 4. Aspects of health and safety in the use of treated wood: some definitions and their effect on the preservation industry.

In: Preservative Treated Timber. Its Specification, Care and Application" Proc. Special Seminar, Inst. Wood Sci., Perth, October.

Greaves, H., Chin, C.W. and McEvoy, C. (1985). The performance of the CSIRO fungitoxic pole bandages in Gatton, Queensland after five years. Proc. Nat. Pole Conf., Capricornia Inst., Sept. 12 pp.

Greaves, H. and McCarthy, K.J. (1985). Inspection and maintenance procedures for groundline defects in wooden poles. Proc. Nat. Pole Conf., Capricornia Inst., Rockhampton, Sept. 22 pp.

Greaves, H., Chin, C.W., McCarthy, K.J. and Watkins, J.B. (1985). Appearance of PEC-treated poles in service. 16th Ann. Meeting Internat. Res. Group on Wood Pres., Doc. No. IRG/WP/3323.

Greaves, H., Chin, C.W. and Watkins, J.B. (1985). Improved PEC preservatives with added biocides. 16th Ann. Meeting Internat. Res. Group on Wood Pres., Doc. No. IRG/WP/3322.

McEvoy, C., McCarthy, K. and Ampong, F.F.K. (1985). Development of diffusible pastes for control of centre rot in wooden poles. Paper prepared for National Pole Conference, Rockhampton, Qld, September 18-20, 11 p.

Thornton, J.D. (1985). The survival and wood-rotting abilities of eight *Serpula lacrymans* strains incubated during the summer season within the subfloor spaces of two Australian buildings. Material und Organismen 20(2), 109-119.

Watkins, J.B., Chin, C.W. and Greaves, H. (1985). Preservative Composition (PROCCA).

Aust. Patent No. 604471.

European Patent No. 0227430 (1986).

Canada Patent No. 1306663 (1991).

New Zealand Patent No. 218652 (1992).

Barnacle, J.E., Cookson, L.J. and McEvoy, C.N. (1986). An appraisal of the vertical distribution of attack of untreated and treated wood by warm water sphaeromatids at some tropical sites - a discussion paper. Internat. Res. Group on Wood Pres. Document No. IRG/WP/4124.

Chin, C.W., Watkins, J.B. and Greaves, H. (1986). Recent advances in oil-based preservative emulsions in Australia. 22nd For. Prod. Res. Conf. Session 1/1, 13 pp.

Cookson, L.J. and Greaves, H. (1986). Comparative bioassays of two high temperature- and two low temperature-derived creosotes. Holzforschung 40: 59-64.

Ewart, D.M. and French, J.R.J. (1986). Temperature studies on two mounds of *Coptotermes lacteus* (Isoptera). 17th IRG Meeting, Avignon, France. Doc. No. IRG/WP/1295. 6 pp.

Fraser, P.J., Rasmussen,R.A., Creffield, J.W., French, J.R.J. and Khalil, M.A.K. (1986). Termites and global methane - another assessment. J. Atmosph. Chem. <u>4</u>: 295-310.

French, J.R.J. (1986). Spreading the urban forest message: ten years later. Habitat. <u>14</u>: 24-27.

French, J.R.J. (1986) - Termites and their economic importance in Australia. Chapt. 3 - Economic impact and control of social insects: 103-129 (S.B. Vinson, ed.) Praeger, N.Y.

French, J.R.J. (1986). A case for ecosystem-level experimentation - a discussion paper. 17th IRG Meeting, Avignon, France. Doc. No. IRG/WP/1296. 9 pp.

French, J.R.J., Robinson, P.J. and Ewart, D.M. (1986) - Mound colonies of *Coptotermes lacteus* (Isoptera) eat cork in preference to sound wood. Sociobiology 11(3): 303-309.

Greaves, H. (1986). Pigment emulsified creosote (PEC) - Improved oil-based preservatives. Ann. Rev. Div. Chem. & Wood Technol., 25-34.

Greaves, H. and McCarthy, K.J. (1986). Destroyers of wood and their control. Proc. Pole Management Seminar, Energy Author. N.S.W., Leura, November, 18 pp.

Greaves, H., Watkins, J.B. and Chin, C.W. (1986). PEC - a family of improved oil-based preservatives. Rec. Ann. Conv. Brit. Wood Pres. Assoc. July, 57-64.

Hergt, H.F.A. and Christensen, G.N. (1986). Structural bonding of steel to softwoods. J. Inst. Wood Sci. 10: 229-234.

Johnson, G.C. and Creffield, J.W. (1986). Research and development for the preservation of panel products. Proc. 22nd Forest Prod. Res. Conf., Topic 1/3, 1-9.

Johnson, G.C., Thornton, J.D. and Saunders, I.W. (1986). An in-ground natural durability field test of Australian timbers and exotic reference species. III. Result after approximately 15 years' exposure. Material und Organismen 21(4), 251-264.

Robinson, P.J. and French, J.R.J. (1986). Beekeeping and wood preservation in Australia. The Aust. Bee J. 67: 11-? (published by journal without permission).

Thornton, J.D. and Johnson, G.C. (1986). Linear extension rates of *Serpula lacrymans* within a simulated wall cavity. Internat. Biodeterioration 22: 289-293.

Thornton, J.D. and Wazny, J. (1986). Comparative susceptibility of sapwood blocks of *Pinus sylvestris* to decay by *Serpula lacrymans*. Holzforschung 40(2), 129-130.

Thornton, J.D. and Wazny, J. (1986). Comparative laboratory testing of strains of the dry rot fungus *Serpula lacrymans* (Schum. ex Fr.) S.F. Gray. I. Growth and decay capacity. Holzforschung 40(5), 309-313.

Watkins, J.B., Chin, C.W. and Greaves, H. (1986). Preservative composition, Canadian patent No. 1306663 (procca patent).

Wazny, J. and Thornton, J.D. (1986). Comparative laboratory testing of strains of the dry rot fungus *Serpula lacrymans* (Schum. ex Fr.) S.F. Gray. II. Action of some wood preservatives in agar media. Holzforschung 40(6), 383-388.

Cookson, L.J. (1987). Marine borers and timber piling options, pp. 1-14. CSIRO, Div. Chem. Wood Technol. 1986 Annual Research Review. CSIRO Printing Centre: Melbourne. Also in NSW Brackish Water Fish Culture Research Station 1989 Open Day Booklet.

Collett, O. (1987). The effect of copper, arsenic and chromium compounds on the activity of cellulolytic enzymes of the brown-rot fungus *Gloeophyllum trabeum*. Mater. Org. 22: 25-37.

Cookson, L.J. (1987). The occurrence of *Limnoria indica* Becker & Kampf (Isopoda) on the eastern coast of Australia. Crustaceana 52: 85-89.

Cookson, L.J. (1987). <sup>14</sup>C-lignin degradation by three Australian termite species (Isoptera: Mastotermitidae, Rhinotermitidae, Termitidae). Wood Sci. Technol. 21: 11-25.

Cookson, L.J. (1987). Influence of laboratory maintenance, relative humidity and coprophagy on <sup>14</sup>C-lignin degradation by *Nasutitermes exitiosus*. J. Insect Physiol. 33: 683-687.

Cookson, L.J. and Barnacle, J.E. (1987). The performance in Australia after ten years in the sea of single and double preservative treated timber specimens. Mater. Org. 22: 139-160.

Cookson, L.J. and Barnacle, J.E. (1987). Predominance of the marine borer *Limnoria indica* Becker & Kampf on turpentine timber. Internat. Biodetn. 23: 287-293.

French, J.R.J., Donaldson, R. and Ewart, D.M. (1987) - Electronic monitoring of temperatures in air, a termite mound, trees and soil. Aust. For. Res. <u>17</u>: 79-82.

French, J.R.J. and La Fage, J.P. (1987). Termite standards questionnaire survey. 18th IRG Meeting, Honey Harbour, Canada. Doc. No. IRG/WP.1324. 6 pp.

French, J.R.J., Robinson, P.J., Pahl, P.J. and Thornton, J.D. (1987). Termite-fungi interactions. III. Response of *Coptotermes lacteus* in field mounds to fungus decayed softwood blocks. Material und Organismen 22(2), 111-126.

Greaves, H. (1987). Research investment returns benefits - some recent developments in timber preservation. Aust. For. Ind. J. 53(1), 9-13.

Greaves, H. (1987). A review of wood preservation research in Oceania. Proc. Amer. Wood Preser. Assoc. <u>83</u>, 80-90.

Greaves, H. (1987). Environmental aspects of wood preservation. 18th Ann. Meeting Internat. Res. Group on Wood Pres., Doc. No. IRG/WP/3406.

Johnson, G.C. (1987). Fungal deterioration of wooden poles. Electrical Research board seminar on "Non-destructive testing of poles". Sept 28-9, 1987, Melbourne.

Johnson, G.C. and Martin, A.K. (1987). The use of a semi-permeable (Gore-tex®) membrane in Basidiomycete bioassays of unleached particleboard. Proc. IUFRO Symp. on the protection of wood-based composite products, Honey Harbour, Ontario, 16-17 May 1987, pp. 108-129.

Paton, R. and Creffield, J.W. (1987). The tolerance of some timber insect pests to atmospheres of carbon dioxide and carbon dioxide in air. Int. Pest Control 29(1), 10-12.

Robinson, P.J. and French, J.R.J. (1987). Wood preservation in the Australian beekeeping industry. IRG Document no IRG/WP/3473.

Thornton, J.D. (1987). Moisture meters. Rebuild 12(1), 5.

Thornton, J.D. (1987). Determination of toxicity data for preservatives against Basidiomycetes by measuring the reduction in compression strength of wood. The International Research Group on Wood Preservation, Working Group II Fundamentals of Testing. Document No. IRG/WP/2297, 10 pp.

Thornton, J.D. and Tighe, M.A.B. (1987). Comparative laboratory testing of strains of the dry rot fungus *Serpula lacrymans* (Schum. ex Fr.) S.F. Gray. III. The action of copper naphthenate in wood. Holzforschung 41(3), 195-197.

Chin, C.W., Natera, J. and McEvoy, C. (1988). 15-year service performance of copper-chromium-arsenic treated poles of *Araucaria* spp. in Papua New Guinea and some preservative retention data. Holzforschung 42: 137-140.

Collett, O. (1988). Effectiveness of a copper-chrome-arsenate formulation as a growth and cellulase inhibitor of the brown-rot fungus *Gloeophyllum trabeum*. Mater. Org. 23: 225-237.

Cookson, L.J. (1988). The site and mechanism of <sup>14</sup>C-lignin degradation by *Nasutitermes exitiosus*. J. Insect Physiol. 34: 409-414.

Cookson, L.J. and Cragg, S.M. (1988). Two new species of Limnoriidae (Isopoda) from Papua New Guinea. J. Nat. Hist. 22: 1507-1516.

Ewart, D.M. and French, J.R.J. (1988). Estimation of the population of a mound colony of *Coptotermes* (Froggatt). 19th IRG Meeting, Madrid, Spain. Doc. No. IRG/WP/1353. 9 pp.

French, J.R.J. (1988). A case for ecosystem-level experimentation in termite research. Sociobiology. <u>14</u>: 269-280.

French, J.R.J. (1988). Screening potential termiticides: some thoughts and suggestions on methodology. 19th IRG Meeting, Madrid, Spain. Doc. No. IRG/WP/1363. 6 pp.

French, J.R.J. (1988). Justification for the use of mirex in termite control. 19th IRG Meeting, Madrid, Spain. Doc. No. IRG/WP/1346. 6 pp.

French, J.R.J. and La Fage, J.P. (1988). Termite standards questionnaire survey - First Report. 19th IRG Meeting, Madrid, Spain. Doc. No. IRG/WP/1354. 5 pp.

Greaves, H. (1988). Some statistics of the Australian Wood Preservation industry, 1984-1985. Forest Prod. Newsletter, New Series  $\underline{3}(3)$ , 5-8.

Greaves, H., Cookson, L.J. and Tighe, M.A. (1988). Laboratory tests on light-organic solvent preservatives for use in Australia. 2. Assessments of further candidate fungicides. J. Inst. Wood Sci. 11: 103-107.

Greaves, H., Schmalzl, K.J. and Cookson, L.J. (1988). Laboratory tests on light-organic solvent preservatives for use in Australia. 4. Assessment of several new candidate fungicides. J. Inst. Wood Sci. <u>11</u>(4), 145-148.

Johnson, G.C., Thornton, J.D., Creffield, J.W. and Howick, C.D. (1988). Assessing timber durability using an accelerated field simulator. I. Initiation of decay and termite studies. Material und Organismen 23(2), 97-114.

Robinson, P.J. and French, J.R.J. (1988). Wood preservation in the Australian beekeeping industry. 19th IRG Meeting, Madrid, Spain. Doc. No. IRG/WP/3473. 7 pp.

Thornton, J.D. and Johnson, G.C. (1988). An in-ground natural durability field test of Australian timbers and exotic reference species. IV. Incidence of white, brown and soft rot in hardwood stakes after approximately 15 years' exposure. Material und Organismen 23(2), 115-123.

Wazny, J., Greaves, H. and Cookson, L.J. (1988). Laboratory tests on light-organic solvent preservatives for use in Australia. 3. Evaluation of fully formulated

- commercial preservatives. J. Inst. Wood Sci. 11: 140-144. (Due to an error by journal, authorship printed as Greaves, Schmalzl and Cookson, therefore Errata 11: 205).
- Barnacle, J.E. and Cookson, L.J. (1989). Does *Limnoria lignorum* (Rathke) or other cold-water xylophagous limnoriid species exist in southern oceans? Internat. Res. Group on Wood Pres. Document No. IRG/WP/4152.
- Cookson, L.J., Barnacle, J.E. and McEvoy, C.N. (1989). The performance in the sea of seven experimental piles after sixteen years at Port Douglas, north Queensland. Internat. Res. Group on Wood Pres. Document No. IRG/WP/4151.
- Creffield, J.W., Johnson, G.C., Thornton, J.D., Pahl, P.J. and Ellis, B. (1989). An Australian test for decay in painted timbers exposed above ground for a total of six years. Forest Products Journal 39(1), 61-66.
- Eaton, R., Ampong, F., Barnacle, J., Beesley, J., Bultman, D., Cookson, L., Cragg, S., De Palma, J., Gambetta, A., Henningsson, B., Levi, M., Levy, C., Nilsson, T., and Orlandi, E. (1989). An international collaborative marine trial to investigate the effect of timber substrate on the efficacy of CCA and CCB wood preservatives. Mater. Org. 24: 51-79.
- Ewart, D.M. and French, J.R.J. (1989). Temperature studies on two mounds of *Coptotermes lacteus* (Isoptera: Rhinotermitidae). J. Therm. Biol. (Submitted).
- French, J.R.J. (1989). The case for non-chemical termite barriers in termite control? 20th IRG Meeting, Lappeenranta, Finland, Doc. IRG/WP/1381. 7 pp.
- French, J.R.J. (1989). How do we advise the pest control industry in the post-organochlorine era? Western Internat., For. Disease Work Confer. and Western For. Insect Work Conf., 11-15 Sept, 1989, Bend, Oregon, USA. pp. 8.
- French, J.R.J. (1989). Baiting techniques in the control of *Coptotermes* species within existing buildings in Australia. Western Internat., For. Disease Work Confer. and Western For. Insect Work Conf., 11-15 Sept, 1989, Bend, Oregon, USA. pp. 9.
- French, J.R.J. and La Fage, J.P. (1989). Termite standards questionnaire survey second report. 20th IRG Meeting, Lappeenranta, Finland, Doc. IRG/WP/1395. 6 pp.
- French, J.R.J., Rasmussen, R.A., Ewart, D.M. and Khalil, M.A.K. (1989). The gaseous environment of *Coptotermes lacteus* mound colonies before and after mirex treatment. 20th IRG Meeting, Lappeenranta, Finland, Doc. IRG/WP/1396. 6 pp.
- Johnson, G.C. and Creffield, J.W. (1989). The preservative treatment of panel products in Australia. Proc. Institute of Wood Science (Australian Branch) Seminar entitled 'Preservative Treated Timber: Its Specification, Care and Application' Melbourne, April, 1989.

- Khalil, M.A.K., Rasmussen, R.A., French, J.R.J. and Holt, J.A. (1989). The influence of termites on atmospheric trace gases: CH<sub>4</sub>, CO<sub>2</sub>, CHCL<sub>3</sub>, N<sub>2</sub>0, CO, H<sub>2</sub>, and light hydrocarbons. J. Geophys. Res. 95(D4): 3610-3634.
- Stone, C.A., Johnson, G.C., Thornton, J.D., Macauley, B.J., Holmes, P.W. and Tai, E.H. (1989). *Leucogyrophana pinastri*, a wood decay fungus probably causing extrinsic allergic alveolitis in the Australian home environment. Australian and New Zealand Journal of Medicine 19, 727-729.
- Thornton, J.D. (1989). The restricted distribution of *Serpula lacrymans* in Australian buildings. The International Research Group on Wood Preservation, Working Group I Biological Problems. IRG Document No. IRG/WP/1382, 12 pp.
- Thornton, J.D. (1989). Why don't more people work with *Serpula lacrymans* nowadays? A discussion of some of the different approaches to experimenting with this unique fungus. The International Research Group on Wood Preservation, Working Group I Biological Problems. IRG Document No. IRG/WP/1383, 14 pp.
- Thornton, J.D. (1989). A new laboratory technique devised with the intention of determining whether, related to practical conditions, there should be a relationship between growth rate and decay capacity (of different strains) of *Serpula lacrymans*. The International Research Group on Wood Preservation, Working Group I Biological Problems. IRG Document No. IRG/WP/1384, 8 pp.
- Thornton, J.D., Johnson, G.C. and Creffield, J.W. (1989). An in-ground natural durability field test of Australian timbers and exotic reference species. V. Extensive data from a site where both decay and termites are active. Results from a fully-replicated set of heartwood specimens from each of ten myrtaceous hardwoods after 18, 19 and 20 years' exposure A Discussion Paper. The International Research Group on Wood Preservation, Working Group II Fundamentals of Testing. IRG Document No. IRG/WP/2324, 21 pp.
- Wazny, J. and Thornton, J.D. (1989). Comparative laboratory testing of strains of the dry rot fungus *Serpula lacrymans* (Schum. ex Fr.) S.F. Gray. IV. The action of CCA and NaPCP in an agar-block test. Holzforschung 43: 231-233.
- Wazny, J. and Thornton, J.D. (1989). Comparative testing of strains of the dry rot fungus *Serpula lacrymans* (Schum. ex Fr.) S.F. Gray. V. Effect on compression strength of untreated and treated wood. Holzforschung 43(5), 351-354.
- Wazny, J. and Thornton, J.D. (1989). Determination of fungitoxic value of preservatives in laboratory wood-block tests. Part 1. Standard procedures. The International Research Group on Wood Preservation, Working Group II Fundamentals of Testing. IRG Document No. IRG/WP/2326, 9 pp.
- Wazny, J., Thornton, J.D. and Krajewski, K.J. (1989). Determination of fungitoxic value of preservatives in laboratory wood-block tests. Part 2. Statistical estimation. The International Research Group on Wood Preservation, Working Group II Fundamentals of Testing. IRG Document No. IRG/WP/2327, 9 pp.

Barnacle, J.E. (1990). Rail sleepers of oil-treated eucalypts - more evidence of rail track performance and untapped potential. Eighth International Rail Track Conference, Sydney, 11 pp.

Barnacle, J.E. and Cookson, L.J. (1990). Treated eucalypt and pine sapwood after 25 years in the sea. Part I. Major effect of wood type on the efficacy of certain creosotes against *Limnoria tripunctata* Menzies. J. Inst. Wood Sci. 11: 213-221.

Barnacle, J.E., Creffield, J.W. and Miller, L. (1990). Attack of oil-treated karri sleepers by *Microcerotermes* spp. in North Western Australia. Proc. IUFRO Wood Protection - Biodeter. Group (S5-03-05) Symposium. Rotorua, New Zealand, pp 1-17.

Cookson, L.J. (1990). A laboratory bioassay method for testing preservatives against the marine borers *Limnoria tripunctata*, *L. quadripunctata* (Crustacea) and *Lyrodus pedicellatus* (Mollusca). Internat. Res. Group on Wood Pres. Document No. IRG/WP/4159.

Cookson, L.J. (1990). Annotated check-list of the Limnoriidae. Internat. Res. Group on Wood Pres. Document No. IRG/WP/4160.

Cookson, L.J. (1990). Relationships of the Limnoriidae to several other flabelliferan families. Biology of the Isopoda - Workshop and Conference, 26-27 June 1990. Melbourne University.

French, J.R.J. (1990). Subterranean termites of economic importance in suburban Melbourne: wood structures most frequently attacked and damaged. 21st IRG Meeting, Rotorua, New Zealand, Doc. IRG/WP/1430. pp. 8.

French, J.R.J. (1990). Termite control in the post-organochlorine era; How do we advise industry and society? 21st IRG Meeting, Rotorua, New Zealand, Doc. IRG/WP/1435. pp.12.

Greaves, H. (1990). Current trends in the protection of timber. Proc. 13th All Australian Timber Congress, Perth, November. Session 6.2, 14 pp.

Greaves, H. (1990). Wood protection with diffusible preservatives: historical perspective in Australasia. 1st Internat. Conf. "Wood Protection with Diffusible Preservatives". Nashville, USA. November. For. Prod. Res. Soc. Proc. 47355, 15-18.

McCarthy, K. and Greaves, H. (1990). Decay detection and remedial treatments for hardwood poles. Wooden Transmission Pole Workshop, Rotorua, New Zealand, April, 29 pp.

McCarthy, K. and Greaves, H. (1990). Decay detection and remedial treatments in wooden poles. 23rd For. Prod. Res. Conf., Session 1/5, 16 pp.

Thornton, J.D. and McConalogue, A. (1990). The effect of added nutrients on growth rate and decay capacity of *Serpula lacrymans*. The International Research Group on

Wood Preservation, Working Group I Biological Problems. IRG Document No. IRG/WP/1427, 4 pp.

Tiu, C., Fang, T.N., Chin, C.W., Watkins, J.B., Felton, N. and Greaves, H. (1990). Rheology of creosote-based wood preservative emulsions. The Chemical Engineering J. 45: B13-B25.

Wazny, J., Thornton, J.D. and Krajewski, K.J. (1990). Determination of fungitoxic value of preservatives in laboratory wood-block tests. Wood and Fiber Science 22(3), 262-270.

Cookson, L.J. and Greaves, H. (1991). An accelerated field simulator trial of metal soaps. Holzforschung 45: 19-22.

Cookson, L.J. and Cragg, S.M. (1991). *Limnoria cristata* (Isopoda: Limnoriidae), a new species of marine wood-borer from Singapore. Raffles Bull. Zool. 39: 87-97.

Cookson, L.J. (1991). Australasian species of Limnoriidae (Crustacea: Isopoda). Memoirs Mus. Vic. 52: 137-262.

Cookson, L.J., Barnacle, J.E. and Beesley, J. (1991). Australian marine test of pesticides impregnated as supplementary treatments for creosote- or CCA-treated wood. Wood Protection 1: 43-48.

Creffield, J.W. (1991). Wood Destroying Insects, Wood Borers and Termites. CSIRO Publications, East Melbourne, 44 pp.

French, J.R.J. (1991). Baiting techniques for control of *Coptotermes* species in Australia. Sociobiology <u>19</u>(1): 171-186.

French, J.R.J. (1991). Farm forests as energy plantations in a sustainable society. Proc. Seminar on Farm Trees for Profit, 24 Mar. 1991, Community Landcare Information Centre, Bendigo, pp. 25.

French, J.R.J. (1991). Standard principles of testing termiticides: a discussion paper. 22nd IRG Meeting, Kyoto, Japan. Doc. IRG/WP/1502. pp. 7.

French, J.R.J. (1991). Physical barriers and bait toxicants: the Romeo and Juliet of future termite control. 22nd IRG Meeting, Kyoto, Japan. Doc. IRG/WP/1503. pp.12.

Johnson, G.C. (1991). Perfromance in the medium to long-term of some CCA preservatives in pine sapwood. Structural Timber Update '91 Conference, Melbourne, 13 pp.

Johnson, G.C. and Thornton, J.D. (1991). An in-ground natural durability field test of Australian timbers and exotic reference species. VII. Incidence of white, brown and soft rot in hardwood stakes after about 19 and 21 years' exposure. Material und Organismen 26 (3), 183-190.

Johnson, G.C. and Thornton, J.D. (1991). An Australian test of wood preservatives. II. The condition after 25 years' exposure of stakes treated with waterborne preservatives. Material und Organismen 26 (4), 303-315.

Thornton, J.D. (1991). Fungal attack of timber in the building situation. Corrosion Australia 16(3/4), 10-13.

Thornton, J.D. (1991). Australian scientific research on *Serpula lacrymans*. In: *Serpula lacrymans*: Fundamental Biology and Control Strategies (edited by D.H. Jennings and A.F. Bravery). Chapter 10, pp 155-171. John Wiley & Son, Chichester, UK.

Thornton, J.D., Johnson, G.C. and Barnacle, J.E. (1991). The performance and potential of CCA-treated pine in Australia. Proceedings Structural Timber Update '91 Conference, Melbourne, 24 Oct. 1991, 13 pp.

Thornton, J.D., Johnson, G.C. and Nguyen, N-K. (1991). An in-ground natural durability test of Australian timbers and exotic reference species. VI. Results after approximately 21 years' exposure. Material und Organismen 26(2), 145-155.

Wazny, J. and Thornton, J.D. (1991). A comparison analysis of eight strains of *Serpula lacrymans* (Schum. ex Fr). S.F. Gray. The International Research Group on Wood Preservation, Working Group II Fundamentals of Testing. IRG Document No. IRG/WP/2362, 10 pp.

Barnacle, J.E., Creffield, J.W. and Miller, L.R. (1992). Attack of oil/creosote-treated rail sleepers of karri (*Eucalyptus diversicolor* F. Muell.) by *Microcerotermes* spp. in north western Australia. Mater. Org. 27(1), 31-45.

Collett, O. (1992). Comparative tolerance of the brown-rot fungus *Antrodia vaillantii* (DC.:Fr.) Ryv. isolates to copper. Holzforschung 46: 293-298.

Collett, O. (1992). Variation in copper tolerance among isolates of the brown-rot fungi *Postia placenta* (Fr.) M. Lars. & Lomb. and *Antrodia xantha* (Fr.) Ryv. Mater. Org. 27: 263-271.

Cookson, L.J. (1992). Studies of lignin degradation in mound material of the termite *Nasutitermes exitiosus*. Aust. J. Soil Res. 30: 189-193.

Creffield, J.W. (1992). A novel bioassay for evaluating the above-ground resistance of wood-based composites to attack by subterranean termites. Proc. Pacific Rim Bio-Based Composites Symposium, Rotorua, New Zealand, 7-13 November 1992, pp. 172-181.

Creffield, J.W. (1992). A review of wood borers in timber structures in Australia and their control. XIX Internat. Congress of Entomology, Beijing, China (June 28 - July 4, 1992). Section 15: Stored Products and Urban Entomology. Symposium No. 9: Wood infesting insects (Isoptera, Coleoptera and Hymenoptera).

Creffield, J.W., Johnson, G.C., Thornton, J.D., Nguyen, N-K. and Chew, N. (1992). An Australian test for decay in painted timbers exposed to the weather for a total of 9 years. Forest Products Journal 42(1), 35-39.

French, J.R.J. (1992). Further thoughts on the standard principles of testing termiticides and /or wood preservatives. 23rd IRG Meeting, Harrogate, UK, Doc. IRG/WP/1530-92. pp.8.

Greaves, H. (1992). CSIRO Division of Forest Products - What's new in research? FIME '92 Internat. Paper 26S, 12 pp.

Greaves, H. (1992). Recent developments in wood preservation research in Australia. Rec. Ann. Conv. Brit. Wood Pres. Assoc., 1-24.

Johnson, G.C. and Martin, A.K. (1992). Survival of wood-inhabiting fungi stored for 10 years in water and under oil. Can. J. Microbiol. 38: 861-864.

Lenz, M., Creffield, J.W. and Barrett, R.A. (1992). An improved field method for assessing the resistance of woody and non-woody materials to attack by subterranean termites. Mater. Org. 27(2), 89-115.

Martin, A.K. and Johnson, G.C. (1992). Chemical control of lichen growths established on building materials: a compilation of the published literature. Biodeter. Abstr. 6 (2): 101-117.

Martin, A.K., Johnson, G.C., McCarthy, D.F. and Filson, R.B. (1992). Attempts to control lichens on asbestos cement roofing. Internat. Biodeterior. & Biodegrad. 30: 261-271.

Podolsak, A.K., Tiu, C. and Watkins, J.B. (1992). Rheological characterization of creosote-in-water emulsions. 6th National conference on rheology, Clayton. pp 81-84.

Thornton, J.D. (1992). Taking the mystery out of dry rot. Forestry and Forest Products Newsletter 6, 6-8.

Thornton, J.D., Johnson, G.C. and Nguyen, N-K. (1992). An in-ground natural durability field test of Australian timbers and exotic reference species. VIII. Association of white and soft rots with the condition of hardwood specimens after 15, 19 and 21 years' exposure. Material und Organismen 27(2), 79-88.

Wazny, J., Krajewski, K.J. and Thornton, J.D. (1992). Comparative laboratory testing of strains of the dry rot fungus *Serpula lacrymans* (Schum. ex Fr.) S.F. Gray. VI. Toxic value of CCA and NaPCP preservatives by statistical estimation. Holzforschung 46 (2), 171-174.

Wazny J., Thornton, J.D. and Stenzel, P. (1992). Computer-assisted numerical clustering analysis of various strains of *Serpula lacrymans* (Wulfen:Fr.) Shroeter apud Cohn. The International Research Group on Wood Preservation, Working Group II Fundamentals of Testing. IRG Document No. IRG/WP/2396, 9 pp.

Cookson, L.J. (1993). Eucalypts for windows? Onwood. Summer 1993, p3.

Cookson, L.J., Creffield, J.W., French, J.R.J., Greaves, H., Johnson, G.C., McCarthy, K. and Thornton, J.D. (1993). Accelerated field simulator studies. 24th Forest Prod. Res. Conf. 2/6, 11pp.

Cookson, L.J. and Dougal, E.F. (1993). Decay evaluation of the penetration of LOSP into *Eucalyptus regnans* heartwood. 24th Forest Prod. Res. Conf. 2/5, 10pp.

Creffield, J.W. (1993). A study on the effectiveness of didecyldimethylammonium chloride to protect wood from attack by subterranean termites. Internat. Research Group on Wood Preserv., Document No. IRG/WP/93-30009.

Creffield, J.W. and Chew, N. (1993). A laboratory bioassay on the termiticidal efficacy of a chlorothalonil formulation and a chlorotholonil plus chlorpyrifos formulation to *Mastotermes darwiniensis* Froggatt. Internat. Research Group on Wood Preserv., Document No. IRG/WP/93-30004.

Creffield, J.W. and Chew, N. (1993). An evaluation of the efficacy of a chlorothalonil formulation and a chlorothalonil plus chlorpyrifos formulation in the field. Internat. Research Group on Wood Preserv., Document No. IRG/WP/93-30005.

French, J.R.J. (1993). How do *Melaleuca armillaris* fare under shelter? Trees & Nat. Res. 35 (2): 28-31.

French, J.R.J. and Ahmed, B. (1993). Termite physical barriers: is retrofitting with Granitgard an option? 24th IRG Meeting, Orlando, USA, Doc. IRG/WP 93-40011. pp.5.

Greaves, H. and McCarthy, K.J. (1993). Preserving pole assets. Proc. Distribution 2000, Vol. 1, Wire and Cable Systems, Melbourne, pp. 512-532.

Haritos, V.S., French, J.R.J. and Ahokas, J.T. (1993). The metabolism and comparative elimination of polychlorinated biphenyl congeners in termites. Chemosphere. <u>26</u> (7): 1291-1299. See also IRG/WP 93-10038.

Haritos, V.S., French, J.R.J. and Ahokas, J.T. (1993). The metabolism and comparative elimination of polychlorinated biphenyl congeners in termites. 24th IRG Meeting, Orlando, USA, Doc. IRG/WP 93-10038. pp.11.

Johnson, G.C., Thornton, J.D. and Nguyen, N-K. (1993). An accelerated field simulator study of the natural durability of heartwood from mature and regrowth trees. Proceedings 24th Forest Products Research Conference, Melbourne, 15-18 November 1993, Topic 2/21, 9 pp.

Lenz, M., Creffield, J.W., Zhong Yun-hong and Miller, L.R. (1993). Establishing standard principles for laboratory bioassays of termiticides with subterranean termites

- Progress, problems and prospects. Internat. Research Group on Wood Preserv., Document No. IRG/WP/93-10013.

Lenz, M. and Creffield, J.W. (1993). A below-ground exposure method for determining the resistance of woody and non-woody materials to attack by subterranean termites. Internat. Research Group on Wood Preserv., Document No. IRG/WP/93-10012.

Mamers, H. and K.J. McCarthy. (1993). Preservative Composition" Australian Provisional Patent No. PL7265 Filed February 1993.

McCarthy, K.J. (1993). Diffusion and toxicity evaluation of a solid remedial preservative containing boron and fluorine. Proc. 24th For. Prod. Res. Conf., Clayton, Victoria, Topic No. 2/18.

McCarthy, K.J. (1993). Diffusion and toxicity evaluation of commercial and non-commercial remedial preservatives in jarrah stubs. Proc. 24th For. Prod. Res. Conf., Clayton, Victoria, Topic No. 2/19.

McCarthy, K.J., Creffield, J.W.C., Cookson, L.J. and Greaves, H. (1993). Evaluation of a solid remedial wood preservative containing boron and flourine. Internat. Res. Group on Wood Pres. Document No. IRG/WP/93-30022.

Tighe, M.A. and Johnson, G.C. (1993). Wood fibre for the surface of race tracks. Proc. 24<sup>th</sup> For. Prod. Res. Conf, Melbourne, Topic 2/23, 7 pp.

Thornton, J.D., Johnson, G.C. and Nguyen, N-K. (1993). Condition of natural durability specimens from the CSIRO in-ground field test after 23 years of exposure. Proceedings 24th Forest Products Research Conference, Melbourne, 15-18 November 1993, Topic 2/1, 9 pp.

Wazny, J. and Cookson, L.J. (1993). A comparative analysis of *Coniophora olivacea* (Fr. ex Pers.) Karst. and *Coniophora puteana* (Schum. ex Fr.) Karst. test strains. Internat. Res. Group on Wood Pres. Document No. IRG/WP/93-30022.

Woods, T.L. and Cookson, L.J. (1993). Control of marine borers by chlorothalonil. South African Patent Application, No. 93/5702.

Ahmed, B. and French, J.R.J. (1994). Termite physical barrier: current status of retrofitting Granitgard around 'mock-up' buildings. 25th IRG Meeting, Bali, Indonesia, Doc. IRG/WP 94-10057. pp.5.

Cookson, L.J. (1994). Observations on the activities of *Sphaeroma* in Australia. Internat. Res. Group on Wood Pres. Document No. IRG/WP/94-10059.

Cookson, L.J. (1994). The performance of chlorothalonil after 4.5 years in the accelerated field simulator. Internat. Res. Group on Wood Pres. Document No. IRG/WP/94-30041.

Cookson, L.J. (1994). IRG marine wood preservation questionnaire. Internat. Res. Group on Wood Pres. Document No. IRG/WP/94-10089.

Cookson, L.J. and Poore, G.C.B. (1994). New species of *Lynseia* and transfer of the genus to Limnoriidae (Crustacea: Isopoda). Memoirs Mus. Vic. 54: 179-189.

Creffield, J.W. (1994). A field method for determining the above-ground resistance of wood and wood products to attack by subterranean termites. Internat. Research Group on Wood Preserv., Document No. IRG/WP/94-20035.

Creffield, J.W., Thornton, J.D., Johnson, G.C. and Nguyen, N-K. (1994). An inground natural durability field test of Australian timbers and exotic reference species. IX. Termites and decay on hardwoods at the Walpeup site between 18 and 23 years after installation. Material und Organismen 28(3), 209-235.

French, J.R.J. (1994). Combining physical barriers, bait and dust toxicants in future strategies for subterranean termite control (Isoptera). Sociobiology. <u>24</u> (1): 77-91.

French, J.R.J. (1994). International collaborative laboratory comparison of two wood preservatives against subterranean termites: Update. 25th IRG Meeting, Bali, Indonesia, Doc. IRG/WP 94-20032. pp.7.

Gardner, W.D., Greaves, H., Hedley, M., McCarthy, K.J. and Norton, J. (1994). Development of an Australasian Protocol for assessment of wood preservatives. 25th Ann. Meeting Internat. Res. Group on Wood. Pres. Doc. No. IRG/WP94-20043.

Haritos, V.S., French, J.R.J. and Ahokas, J.T. (1994). Cytochrome P450 monooxygenase and glutathione S-transferase activity of twoAustralian termites: *Mastotermes darwiniensis* and *Coptotermes acinaciformis*. Insect Biochem. Molec. Biol. <u>24</u> (9): 929-935.

Thornton, J.D. (1994). The critical timing of inspections for field testing of natural durability. International Research Group on Wood Preservation. Section 2. Test methodology and assessment. Doc. No. IRG/WP/94-20018 (1994), 9 pp.

Thornton, J.D., Johnson, G.C., Creffield, J.W. and Nguyen, N-K. (1994). An inground natural durability field test of Australian timbers and exotic reference species. X. Association of termite species with hardwood deterioration at the Walpeup site between 18 and 23 years after installation. Material und Organismen 28(3), 237-242.

Thornton, J.D., Johnson, G.C. and Nguyen, N-K. (1994). Specimen life statistics and mean rates of biodeterioration for untreated heartwood timbers exposed in-ground for 23 years. Proceedings Pacific Timber Engineering Conference (PTEC 94) Gold Coast Australia, 11-15 July 1994, 10 pp.

Wazny, J. and Cookson, L.J. (1994). Comparison of the agar-block and soil-block methods used for evaluation of fungitoxic value of QAC and CCA wood preservatives. Internat. Res. Group on Wood Pres. Document No. IRG/WP/94-20039.

Ahmed, B. and French, J.R.J. (1995). Termite physical barriers: update on retrofitting Granitgard around 'mock-up' buildings after three years. 26th IRG Meeting, Helsingor, Denmark, Doc. IRG/WP 95-10118. pp.7.

Barnacle, J.E. and Cookson, L.J. (1995). Treated eucalypt and pine sapwood after 25 years in the sea. Part II. Major effect of wood type on the efficacy of some waterborne preservatives. J. Inst. Wood Sci. 13: 543-558.

Barnes, H.M. and Amburgey, T.L. (1995), in cooperation with K. Archer, O. Bergman, J. Carey, L. Cookson, D.J. Dickinson, F.C. Geraldo, S.M. Gray, S. Grove, M. Hedley, B. Henningsson, M.J. Kennedy, J.J. Morrell, P. Morris, R.J. Murphy, T. Nilsson, R. Orsler, H.S.A. Padmanabha, J.N.R. Ruddick, K. Suzuki, P. Turner, R. Wakeling, T. Woods. Working Plan: Second international collaborative field trial. Internat. Res. Group on Wood Pres. Document No. IRG/WP/94-20056.

Brennan, G.K., Pitcher, J.A., Rule, R. and Greep, D.A. (1995). Assessment of Wickepin fence post trial after 62 years. CALMScience 1 (4): 509-514 (not CSIRO staff, but test installed by CSIRO).

Cookson, L.J. and Woods, T.L. (1995). Laboratory method used to test the effectiveness of chlorothalonil against marine borers. Wood Protection: 3: 9-15.

Cookson, L.J. (1995). Reliability of Poly B-411, a polymeric anthraquinone-based dye, in determining the rot type caused by wood inhabiting fungi. Appl. Environ. Microbiol. 61: 801-803.

Cookson, L.J. and Pham, K. (1995). Relative tolerance of twenty basidiomycetes to boric acid. Mater. Org. 29: 187-196.

Creffield, J.W. (1995). Efficacy of didecyldimethylammonium chloride against subterranean termites (Isoptera) in Australia. Anz. Schädlingskde., Pflanzenschutz, Umweltschutz 68(3), 60-63.

Creffield, J.W. (1995). Wood borers in Australia and their control. Proc. TAFE Pest Control Conf. "Breaking through the OC barrier ... the future". St George League's Club, Kogarah, NSW, 24-25 August 1995.

Creffield, J.W., Brennan, G.K., Chew, N. and Nguyen, N-K. (1995). Re-assessing the susceptibility of karri (*Eucalyptus diversicolor*) and jarrah (*E. marginata*) sapwood to attack by the powder post borer (*Lyctus brunneus*). Aust. For. 58(2), 72-79.

Creffield, J.W. and Chew, N. (1995). Efficacy of chlorothalonil and chlorothalonil plus chlorpyrifos against termite attack. Forest Prod. J. 45(2), 46-50.

Creffield, J.W., Drysdale, J.A., Chew, N. and Nguyen, N-K. (1995). Laboratory evaluation of the termiticidal effectiveness of Tanalith<sup>®</sup> 3485. Internat. Research Group on Wood Preserv., Document No. IRG/WP/95-10109.

Ewart, D.McG. and French, J.R.J. (1995). Granitgard used as a partial and perimeter barrier in the protection of buildings agaisnt subterranean termites. 26th IRG Meeting, Helsingor, Denmark, Doc. IRG/WP 95-10114. pp.6.

French, J.R.J. (1995). International collaborative laboratory comparison of two wood preservatives against subterranean termites: Second update. 26th IRG Meeting, Helsingor, Denmark, Doc. IRG/WP 95-10117. pp.3.

French, J.R.J. (1995). Termite control in the post-organochlorine era: How do we advise industry and the community? pp. 14. TAFE Pest Control Conf., Kogarah, NSW, "Breaking through the OC barrier---the future?.

French, J.R.J. and Ahmed, B. (1995). Comparison of various types of bait containers designed to aggregate large numbers of foraging subterranean termites from natural populations in below-ground mound colonies. 26th IRG Meeting, Helsingor, Denmark, Doc. IRG/WP 95-10116. pp.9.

French, J.R.J., Ahmed, B. and Ewart, D. (1995). Bait box technique for remedial subterranean termite control. 26th IRG Meeting, Helsingor, Denmark, Doc. IRG/WP 95-10115. pp.14.

Greaves, H. (1995). A national standard and assessment protocols. Proc. Timber Preserv. Assoc. Aust. Internat. Conf., Cairns, August: Session 3, 14 pp.

Johnson, G.C. (1995). A comparison of the efficacy of six media for isolating wood-decaying Hymenomycetes. Can. J. Microbiol. 41: 104-107.

Johnson, G.C. (1995). The impact of stem degrade on wood utilization. Proc. Workshop on "Stem degrade in eucalypts due to insects and fungi." CSIRO Div. Forestry User Series 19:30.

Johnson, G.C., Tighe, M.A. and Thornton, J.D. (1995). Laboratory tests on light organic solvent preservatives for use in Australia. Part 5. Efficacy of three fully formulated preservatives on different timber substrates. Wood Protection 3: 23-30.

Ladu, G.E., Cookson, L.J. and Dougal, E.F. (1995). Treatability of regrowth *Eucalyptus regnans* heartwood using light organic solvent. Wood Protection 3: 33-39.

Mamers, H. and K.J. McCarthy. (1995). "Aqueous Preservative Paste" Australian Provisional Patent No. PN0826. Filed January 1995.

Mamers, H. and K.J. McCarthy. (1995). "Diffusible Wood Preservative" Australian Provisional Patent No. PN-827. Filed January 1995.

Michell, A.J. (1995). FTIR studies of sludges from copper-chrome-arsenic wood preservative formulations. Holzforschung 49: 217-221.

Theodore, M.L., Stevenson, T.W., Johnson, G.C., Thornton, J.D. and Lawrie, A.C. (1995). Comparison of *Serpula lacrymans* isolates using RAPD PCR. Mycol. Research 99: 447-450.

Thornton, J.D., Johnson, G.C., Creffield, J.W. and Nguyen, N.-K. (1995). Assessing timber durability using an accelerated field simulator. II. Specimen life statistics from decay and subterranean termite studies. Mater. Org. 29: 273-288.

Thornton, J.D., Johnson, G.C. and Nguyen, N.-K. (1995). Specimen life statistics of untreated heartwood of 35 timbers species after five years' exposure in the accelerated field simulator. Mater. Org. 29: 81-92.

Woods, T.L. and Cookson, L.J. (1995). Control of marine borers by chlorothalonil. U.S. Patent 5,380,484.

Ahmed, B. and French, J.R.J. (1996). Termite physical barriers: update on retrofitting Granitgard around 'mock-up' buildings after four years. 27th IRG Meeting, Guadeloupe, France, Doc. IRG/WP/96-10140. pp. 6.

Ahmed, B., French, J.R.J.and Trajstman, A. (1996). Termite wood consumption in a laboratory bioassay using two different substrates. 25th Forest Products Research Conference, Melbourne, pp. 9.

Brennan, G.K., Pitcher, J.A. and Watkins, J.B. (1996). Treating four-year-old Tasmanian blue gum posts with pigment emulsified creosote. CALM Science 2: 119-128.

Choon, L.W. and Cookson, L.J. (1996). Laboratory study on the natural durability of Sarawak timbers against marine borers. Timber Research and Technical Training Centre, Forest Department, Kuching, Sarawak, Malaysia, TRTTC Technical Report No. TR/18, 15 pp.

Cookson, L.J. (1996). Additions to the taxonomy of the Limnoriidae (Crustacea: Isopoda). Memoirs of the Museum of Victoria. 56: 129-143.

Cookson, L.J. (1996). An aquaria test of the natural resistance against marine borers of some commercial timbers available in Australia. Internat. Res. Group on Wood Pres. Document No. IRG/WP/96-10145.

Cookson, L.J., Scown, D.K. and Schmalzl, K.J. (1996). Pile surface coverage and copper, chromium and arsenic content of barnacles growing on experimental mooring piles. 25th Forest Prod. Res. Conf., Clayton, Paper 1/2, 14 pp.

Cookson, L.J. and Trajstman, A. (1996). Decay evaluation of the effectiveness of a LOSP envelope treatment in eucalypt and meranti heartwoods for window joinery. Internat. Res. Group on Wood Pres. Document No. IRG/WP/96-30099.

Cookson, L.J., Watkins, J.B. and Scown, D.K. (1996). Treatment of eucalypt paling fence timbers with emulsions of creosote and CCA. 25th Forest Prod. Res., Clayton, Paper 1/3, 9 pp.

French, J.R.J. (1996). International collaborative laboratory comparison of two wood preservatives against subterranean termites: Third update and first report. 27th IRG Meeting, Guadeloupe, France, Doc. IRG/WP/96-10174. pp. 8.

French, J.R.J. (1996). International collaborative laboratory comparison of two preservatives against subterranean termites: Third update and first report. 25th Forest Products Research Conference, Melbourne. pp. 13.

French, J.R.J. and B. Ahmed. (1996). Comparison of various types of bait containers designed to aggregate large numbers of foraging subterranean termites from natural populations in below-ground mound colonies. Sociobiology. (Submitted, not sure if got published).

French, J.R.J. and Ahmed, B. (1996). Current developments in subterranean termite control in Australia. 25th Forest Products Research Conference, Melbourne, pp. 13.

Greaves, H. (1996). Wood preservation in Australia. Rec. Ann. Conv. Brit. Wood Pres. and Damp Proof. Assoc., 7-15.

Greaves, H. (1996). Forest Products in Australia - An Industry and Research Overview. In: Wood & Non-Wood '96. Proc. Internat. Conf. on For. Prod., Bangkok, 17-22 Dec. 1996 (in press).

Kennedy, M.J., Creffield, J.W., Eldridge, R.H. and Peters, B.C. (1996). Field evaluation of the above-ground susceptibility of *Pinus* heartwood and untreated or treated sapwood of two species of Australian subterranean termites. The Internat. Res. Group on Wood Pres. Document No. IRG/WP/96-10147.

Mamers, H., McCarthy, K.J. and Greaves, H. (1996). Development and field testing of a new copper boronaphthenate paste for the remedial treatment of utility poles. Proc. 2nd Internat. Conf. on Wood Protection with Diffusible Preservatives and Pesticides, Alabama, 6-8 Nov. 1996, 140-147

Thornton, J.D. and Johnson, G.C. (1996). Faster durability and preservative rating. Onwood No. 9, Spring 1995, p.1.

Thornton, J.D. and Johnson, G.C. (1996). New timber durability ratings. Onwood No. 13, Spring 1996, p.2.

Thornton, J.D., Johnson, G.C. and Ngyen, N.-K. (1996). Revised natural durability rating for the outer heartwood of mature Australian timbers in ground contact. Proc. 25th Forest Prod. Res. Conf., Vol. 1, Topic 1/18, 12 pp

Waugh, G. and Greaves, H. Processing plantation-grown eucalypts. In: Wood & Non-Wood '96. Proc. Internat. Conf. on For. Prod., Bangkok, 17-22 1996. (in press).

Woods, T.L. and Cookson, L.J. (1996). Control of marine borers by chlorothalonil. Australian Patent No. 665,863.

French, J.R.J., Rasmussen, R.A., Ewart, D.M. and Khalil, M.A.K. (1997). The gaseous environment of *Coptotermes lacteus* mound colonies before and after mirex treatment. Bull. Entomol. Res. 87: 145-149.

French, J.R.J. (year?) System for controlling termites used e;g. to protect buildings – comprises hollow pipe containing insecticide. Patent. Assigned to Rhone-Poulenc.